PURCHASE ORDER

TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT Order Date 07/24/2024

Page 01

200 Technology Way, Suite 1120, College Station, TX 77845-3424; Phone 979-458-7380, FAX 979-458-7386

Purchase Order (Include this number on all correspondence and packages)

P400391

VENDOR GUARANTEES
MERCHANDISE DELIVERED ON
THIS ORDER WILL MEET OR
EXCEED SPECIFICATIONS IN
THE BID INVITATION.

INVOICE TO:
TEXAS A&M FOREST SERVICE
FRP--ASSOCIATE DIRECTOR
200 TECHNOLOGY WAY, SUITE 1162
COLLEGE STATION TX 77845-3424

VENDOR

17419210373 CLEVELAND MACK SALES INC PERFORMANCE TRUCK 1263 US HWY 59 N CLEVELAND, TX 77327-2877 ALL TERMS AND CONDITIONS SET FORTH IN OUR BID INVITATION BECOME A PART OF THIS ORDER.

SHIP TO:

TEXAS A&M FOREST SERVICE HUDSON OFFICE 155 TEXAS FOREST SERVICE LOOP LUFKIN TX 75904

ANY EXCEPTIONS TO PRICING OR DESCRIPTION CONTAINED HEREIN MUST BE APPROVED BY THE TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT PRIOR TO SHIPPING.

PLEASE NOTE: IF YOUR INVOICE IS NOT ADDRESSED AS INSTRUCTED PAYMENT WILL BE DELAYED.

em	Description	Quantity	UOM	Unit Price	Ext Price
	USER REF: 000000-TM				
1	Haul Truck Kenworth T880 with Additional Specs.	3	EA	243,998.000	731,994.0
	Quantity: 3				
				TOTAL	731,994.0
	**** NET 30 ****				
	NOTE TO VENDOR: "SHIP TO" AND "INVOICE TO" ADDRESSES MAY DIFFER. FAILURE TO SUBMIT INVOICE TO PROPER ADDRESS MAY RESULT IN DELAYED PAYMENT.				
	BY ACCEPTANCE OF THIS PURCHASE ORDER VENDOR AGREES TO ALL TERMS AND CONDITIONS (AS APPLICABLE) LISTED ON ATTACHED "TEXAS A&M FOREST SERVICE PURCHASE ORDERATTACHMENT A".				

	THE TEXAS A&M FOREST SERVICE REQUIRES COORDINATION OF YOUR VEHICLE DELIVERIES WITH A MINIMUM 24 HOUR PRIOR NOTICE.				
	TO INSURE PERSONNEL WILL BE AVAILABE ON SITE TO ACCEPT YOUR DELIVERY, CALL ALAN SMITH 936-875-4840 AND/OR EMAIL ASMITH@TFS.TAMU.EDU, OR ZACH LOONEY SAME				

Texas A&M Forest Service cannot accept collect freight shipments.

FOB: DESTINATION FRT INCLUDED

FAILURE TO DELIVER - If the vendor fails to deliver these supplies by the promised delivery date or a reasonable time thereafter, without giving acceptable reasons for delay, or if supplies are rejected for failure to meet specifications, the State reserves the right to purchase specified supplies elsewhere, and charge the increase in price and cost of handling, if any, to the vendor. No substitutions nor cancellations permitted without prior approval of Purchasing Department.

Terms:
IN ACCORDANCE WITH YOUR BID, SUPPLIES/EQUIPMENT MUST BE PLACED IN THE DEPARTMENT RECEIVING ROOM BY

The State of Texas is exempt from all Federal Excise Taxes.

STATE AND CITY SALES TAX EXEMPTION CERTIFICATE: The undersigned claims an exemption from taxes under Texas Tax Code, Section 151.306 (4), for purchase of tangible personal property described in this numbered order, purchased from contractor and/or shipper listed above, as this property is being secured for the exclusive use of the State of Texas.

The Terms and Conditions of the State of Texas shall prevail.

THIS OBDER IS NOT VALID UNLESS SIGNED BY THE PURCHASING AGENT

PURCHASING AGENT FOR

TEXAS A&M FOREST SERVICE

VENDOR

17419210373

PERFORMANCE TRUCK

1263 US HWY 59 N

PURCHASE ORDER

TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT

Order Date 07/24/2024

Page 02

200 Technology Way, Suite 1120, College Station, TX 77845-3424; Phone 979-458-7380, FAX 979-458-7386

Purchase Order (Include this number on all correspondence and packages) P400391

CLEVELAND MACK SALES INC

CLEVELAND, TX 77327-2877

VENDOR GUARANTEES MERCHANDISE DELIVERED ON THIS ORDER WILL MEET OR **EXCEED SPECIFICATIONS IN** THE BID INVITATION.

ALL TERMS AND CONDITIONS SET FORTH IN OUR BID INVITATION BECOME A PART OF THIS ORDER.

INVOICE TO: TEXAS A&M FOREST SERVICE FRP--ASSOCIATE DIRECTOR 200 TECHNOLOGY WAY, SUITE 1162 COLLEGE STATION TX 77845-3424

SHIP TO:

TEXAS A&M FOREST SERVICE HUDSON OFFICE 155 TEXAS FOREST SERVICE LOOP LUFKIN TX 75904

ANY EXCEPTIONS TO PRICING OR DESCRIPTION CONTAINED HEREIN MUST BE APPROVED BY THE TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT PRIOR TO SHIPPING

PLEASE NOTE: IF YOUR INVOICE IS NOT ADDRESSED AS INSTRUCTED PAYMENT WILL BE DELAYED

em	Description	O. contit.	11044	11.25	
n	Description	Quantity	UOM	Unit Price	Ext Price
	PHONE #, EMAIL ZLOONEY@TFS.TAMU.EDU TO				
	COORDINATE DELIVERY DATE/TIME.				
	VENDOR RESPONSE TO IFB-23-021 ATTACHED				
	TERMS, CONDITIONS, AND SPECIFICATIONS OF				
	IFB-23-021 SHALL APPLY TO THIS ORDER		1 1		
	STANDARD AGENCY TERMS AND CONDITIONS INCLUDED				
	VENDOR QUOTE: IFB-23-021				
	VENDOR REF: ANDREW VEST #713-844-7178				
	PHONE: 979-778-4466				
1					
EC					
-					

Texas A&M Forest Service cannot accept collect freight shipments.

DESTINATION FRT INCLUDED FOB:

FAILURE TO DELIVER - If the vendor fails to deliver these supplies by the promised delivery date or a reasonable time thereafter, without giving acceptable reasons for delay, or if supplies are rejected for failure to meet specifications, the State reserves the right to purchase specified supplies elsewhere, and charge the increase in price and cost of handling, if any, to the vendor. No substitutions nor cancellations permitted without prior approval of Purchasing Department.

IN ACCORDANCE WITH YOUR BID, SUPPLIES/EQUIPMENT MUST BE PLACED IN THE DEPARTMENT RECEIVING ROOM BY

Terms:

The State of Texas is exempt from all Federal Excise Taxes.

STATE AND CITY SALES TAX EXEMPTION CERTIFICATE: The undersigned claims an exemption from taxes under Texas Tax Code, Section 151.309 (4), for purchase of tangible personal property described in this numbered order, purchased from contractor and/or shipper listed above, as this property is being secured for the exclusive use of the State of Texas.

The Terms and Conditions of the State of Texas shall prevail.

THIS OBDER IS NOT VALID UNLESS SIGNED BY THE PURCHASING AGENT

PURCHASING AGENT FOR

TEXAS A&M FOREST SERVICE

PURCHASING DEPARTMENT 200 TECHNOLOGY WAY SUITE 1151 COLLEGE STATION, TEXAS 77845-3424

INVITATION FOR BID

IFB NUMBER IFB-23-021

4 Kenworth T880/Peterbilt 567 Trucks

BID MUST BE RECEIVED BEFORE: 2:00 P.M. CENTRAL STANDARD TIME (CST) on August 29, 2023

MAIL, EMAIL, HAND DELIVER, AND /OR FAX (979-458-7387) BID TO:

Texas A&M Forest Service
Purchasing Department
200 Technology Way, Suite 1151
College Station, TX 77845-3424
bids@tfs.tamu.edu

Show IFB Number, Opening Date, and Time on Return Envelope

NOTE: BID must be time stamped at the <u>Texas A&M Forest Service Purchasing Department</u> before the hour and date specified for receipt of bid.

Sealed bids will be received until the date and time established for receipt.

REFER ALL INQUIRIES TO:

Charles Cavanaugh
Buyer
Texas A&M Forest Service
Purchasing Department
Phone: 979-458-7383
E-mail:

charles.cavanaugh@tfs.tamu.edu

INVITATION FOR BID - RETURN SEALED BIDS TO:

BIDDER MUST SIGN BELOW

FAILURE TO SIGN WILL DISQUALIFY BID
"By signing this quotation, bidder certifies that if a
Texas address is shown as the address of the
bidder, bidder qualities as a Texas Bidder as
defined in TAC Rule, Title 34, Part 1, Chapter 20,
Sub C 29.32(68).

TEXAS A&M FOREST SERVICE PURCHASING DEPARTMENT 200 TECHNOLOGY WAY STE 1151 COLLEGE STATION TX 77845-3424

PHONE 979-458-7380 FAX 979-458-7387

Page 2 of 8

Dayne Yea	aer	8/28/23
PRINT OR TYPE NAME	J	DATE
TITLE		1 111 1 1
74-1921037		
VENDOR ID NUMBER (SEE INSTRUCTIONS 1.7 ON LAST	PAGE FOR VENE	OOR ID NUMBER)
Cleveland Mack Sales, In	nc dba Perfo	mance Truck
COMPANY NAME		No. State St
1263 US Hwy 59N		
ADDRESS Cleveland	TX	77459
CITY	STATE	Zip ,
281-593-8888		
PHONE	FAX	931
avest@performancetruck	.com	
E-MAIL		7473 T

IMPORTANT NOTICE:

IF BIDDING EACH BID MUST BE PLACED IN A SEPARATE ENVELOPE WITH BID OPENING DATE AND BID NUMBER ANNOTATED IMMEDIATELY BELOW RETURN ADDRESS ON SEALED BID ENVELOPE

BIDDER AGREES TO COMPLY WITH ALL CONDITIONS TO THIS IFB. BID OPENING: August 29, 2023 @ 2:00 p.m. CST

BID NO: IFB-23-021

QUOTE F.O.B. DESTINATION, FREIGHT PREPAID AND ALL OWED LINLESS OTHERWISE STATED WITHIN THE SPECIFICATIONS

DESTINATION OF GOODS

Texas A&M Forest Service 155 Texas Forest Service Loop Lufkin, TX 75904

Item	Description	Chuantity	HOM	Unit Price	Ext Price
	When mailing in bids, bid number and bid opening date must be indicated on the lower left corner of the envelope.		4		
	Faxed bids will be accepted only at the number indicated at the top of this form.				
	Class and Item Codes: 072-00				
	DETERMINATION OF SUBCONTRACTING OPPORTUNITIES The TEXAS A&M FOREST SERVICE has reviewed this IFB in accordance with Texas Government Code 2161.252 and TAC 111.14(a) and has determined that subcontracting opportunities are probable under this contract. Accordingly, a HUB Subcontracting Plan (HSP) is not required.				
	GENERAL				
	General questions and clarification of technical specifications may be made to Charles Cavanaugh at charles.cavanaugh@tfs.tamu.edu or 979-458-7383 regarding this Invitation For Bid (IFB).				

Check below to claim preference under TAC Rule 20.38 () Supplies, materials or equipment; produced in TX/offered by TX bidder* () Agriculture products produced or grown in TX () Agriculture products and services offered by TX bidder () USA produced supplies, materials or equipment () Products of persons with mental or physical disabilities () Vendors that meet or exceed air quality standards () Goods produced or offered by service-disabled veterans () Manufacturer that has recycle program for computer equipment	Products made of recycled, remanufactured, or environmentally sensitive materials including recycled steel Energy efficient products Rubbertzed asphalt paving material Recycled motor oil and lubricants Products produced at facilities located on formerly contaminated property Products and services from economically depressed or blighted areas Contractor providing [code of higher nutritional value]
Delivery in days Cash Discount % days	

BID OPENING: August 29, 2023 @ 2:00 p.m. CST

BID NO: IFB-23-021

T	Description	Quantity	UOM	Unit Price	Ext Pric
0	lo authority is intended or implied that specifications may be changed r amended except as authorized by written addendum from the Texas &M Forest Service Purchasing Department.				
to	tesponses to inquiries, which directly affect an interpretation or change of this IFB, will be issued in writing by addendum. Only inquiries which are replied to by formal written addenda shall be binding. Oral and ther interpretations or clarifications will be without legal effect.	,			
	OTICE: THE DEADLINE FOR WRITTEN QUESTIONS IS August 24, 023, at 2:00 P.M. CENTRAL STANDARD TIME (CST).				
	HOULD AN ADDENDUM BE REQUIRED, IT WILL BE ISSUED BY ugust 25, 2023, at 2:00 P.M. CENTRAL STANDARD TIME (CST).				
5	COPE	-			
Si or sp	y means of this IFB, it is the intention of the TEXAS A&M FOREST ERVICE to acquire bids for the purchase of 4 Kenworth model T880 Peterbilt model 567 full trucks as described in the attached pecifications. Only units matching the specifications exactly will be possidered for award. No substitutions are allowed.				
I	ERMS AND CONDITIONS				
A.	A response to this IFB is an offer to contract based on the terms, conditions, and specifications contained herein. Bids do not become contracts until they are accepted through a TEXAS A&M FOREST SERVICE purchase order. The contract shall be governed, construed, and interpreted under the laws of the State of Texas. The factors listed in Section 51.9335 Texas Education Code shall also be considered in making an award when specified. Any legal actions must be filed in Brazos County, Texas.		Print many miles delicated		
В.	The TEXAS A&M FOREST SERVICE reserves the right to make an award on the basis of low line item bid, low total of line items, or in any other combination that will serve the best interest of the TEXAS A&M FOREST SERVICE and to reject any and all bid items at the sole discretion of the TEXAS A&M FOREST SERVICE. The TEXAS A&M FOREST SERVICE also reserves the right to accept or reject all or any part of any bid, waive minor technicalities and award the bid to best serve the interest of the TEXAS A&M FOREST SERVICE. The TEXAS A&M FOREST SERVICE shall be sole judge of "the best interest of the TEXAS A&M FOREST SERVICE".		The state of the s		
C.	This IFB does not commit the TEXAS A&M FOREST SERVICE to award a contract, issue a purchase order, or pay any cost incurred by a vendor in the preparation of a bid in response to this IFB.		4. Harmon Co.		
D.	Upon award of bid, this IFB, awarded vendor's response, and subsequent Purchase Order/s will serve as instruments of contract between the awarded vendor and the TEXAS A&M FOREST SERVICE.	and the state of t	and the state of t		
E.	The TEXAS A&M FOREST SERVICE reserves the right to cancel this contract at any time, and without penalty, either in whole or in				

BID OPENING: August 29, 2023 @ 2:00 p.m. CST

BID NO: IFB-23-021

n	Description	Quantity	UOM	Unit Price	Ext Price
	part, if funds are not appropriated by the Texas Legislature, or are not otherwise made available, or for any other unforeseen cause that may occur.				
F.	This contract will be executed in accordance with all specifications, terms and conditions, and requirements of this IFB. The TEXAS A&M FOREST SERVICE will decide all questions which may arise as to the interpretation of specifications, quality, quantity, and acceptability of goods furnished or work performed. If the contract is for services, TEXAS A&M FOREST SERVICE will decide the manner of performance and the rate of progress of work and the acceptable fulfillment of the services on the part of the vendor.				
G.	This contract is subject to any constitutional or statutory limitations upon the TEXAS A&M FOREST SERVICE as an agency of the State of Texas.				
H.	The TEXAS A&M FOREST SERVICE is committed to maintaining an alcohol and drug-free workplace. Possession, use, or being under the influence of alcohol or controlled substances by vendor or vendor's employees while in the performance of any service performed for the TEXAS A&M FOREST SERVICE is prohibited. Violation of this requirement shall constitute grounds for cancellation of the contract.				
1.	In the performance of the specified work awarded vendor shall comply with all applicable Federal and State laws including, but not limited to laws governing labor, equal employment opportunity, safety, environmental protection, and materials used in the work.				
J.	Unacceptable vendor performance and/or failure of vendor to comply with specifications, terms and conditions or any other requirements stipulated herein will constitute a breach of contract and will result in the contract becoming subject to cancellation by the TEXAS A&M FOREST SERVICE. Written notice from the TEXAS A&M FOREST SERVICE to the vendor of such cancellation will result in the contract becoming voided and canceled immediately thereupon, without penalty to the TEXAS A&M FOREST SERVICE.		THE STATE OF THE S		
	If the vendor defaults on the contract, TEXAS A&M FOREST SERVICE reserves the right to cancel the contract without notice and either re-solicit or re-award the contract to the next best value bidder originally responding to the IFB. The defaulting vendor will not be considered in the re-solicitation and may not be considered in future solicitations for the same type of work unless the specifications or scope of work is significantly changed.				
	Authorized Relief From Performance (Force Majeure) — The TEXAS A&M FOREST SERVICE may grant relief from performance of the contract if the vendor is prevented from compliance and performance by the act of war, order of legal authority, act of God, or other unavoidable causes not attributable to the fault or negligence of the contractor. The burden of proof for the need of such relief shall rest upon the vendor. To obtain release based on Force Majeure, the vendor must file a written request to the TEXAS A&M FOREST SERVICE.	The state of the s			
	Suspension, Debarment, and Terrorism Bidder certifies that the bidding entity and its principals are eligible to participate in this				

BID OPENING: August 29, 2023 @ 2:00 p.m. CST

BID NO: IFB-23-021

1	Description	Quantity	UOM	Unit Price	Ext Pri
N.	transaction and have not been subjected to suspension, debarment, or similar ineligibility determined by any federal, state or local governmental entity and that bidder is in compliance with the State of Texas Statutes and Rules relating to procurement and that bidder is not listed on the Federal Government's Terrorism Watch List as described in Executive Order 13224. Entities ineligible for federal procurement are listed at https://www.sam.gov/portal/public/SAM/ Conflict of Interest. By executing this Agreement, Contractor and				
	each person signing on behalf of Contractor certifies, and in the case of a sole proprietorship, partnership or corporation, each party thereto certifies as to its own organization, that to the best of their knowledge and belief, no member of The A&M System or The A&M System Board of Regents, nor any employee, or person, whose salary is payable in whole or in part by The A&M System, has direct or indirect financial interest in the award of this Agreement, or in the services to which this Agreement relates, or in any of the profits,		THE PROPERTY OF THE PROPERTY O		
_	real or potential, thereof.	1			
О. Р.	Prohibition on Contracts with Companies Boycotting Israel. Prohibition on Contracts with Companies Boycotting Israel. To the extent that Texas Government Code, Chapter 2270 applies to this Agreement, PROVIDER certifies that (a) it does not currently boycott Israel; and (b) it will not boycott Israel during the term of this Agreement. PROVIDER acknowledges this Agreement may be terminated and payment withheld if this certification is inaccurate. Certification Regarding Business with Certain Countries and Organizations. Pursuant to Subchapter F, Chapter 2252, Texas Government Code, Contractor certifies it is not engaged in business with Iran, Sudan, or a foreign terrorist organization. Contractor acknowledges this Agreement may be terminated if this certification is inaccurate.				
Q.	Additional Quantities The TEXAS A&M FOREST SERVICE reserves the right to purchase additional quantities of the equipment listed herein. Orders for additional equipment shall be made by TEXAS A&M FOREST SERVICE Purchase Order and shall be made within sixty (60) days of award of this bid. Bidders shall hold price firm during this period. Additional quantities ordered shall be subject to the same terms, conditions and pricing of the initial bid response.		700000000000000000000000000000000000000		
R.	Inter-Agency Agreement Successful bidder agrees to extend prices and terms to all entities who have entered or will enter into joint purchasing inter-agency cooperation agreement(s) with the Texas A&M Forest Service.				
S.	Blanket PO Bid Submittal Prices – N/A				
	Quality The vehicles or equipment furnished under these specifications shall be of quality workmanship and material. The bidder represents that all vehicles or equipment offered under these specifications shall be new, current production model. USED, SHOPWORN, DEMONSTRATOR, PROTOTYPE, OR DISCONTINUED MODELS ARE NOT ACCEPTABLE.				

BID OPENING: August 29, 2023 @ 2:00 p.m. CST

BID NO: IFB-23-021

m	Description	Quantity	UOM	Unit Price	Ext Price
U.	Vendor Certification – Vendor hereby certifies that the network hardware or software, <u>as applicable</u> , procured or leased under this contract, has undergone independent certification testing for known and relevant vulnerabilities in accordance with section 2059.060 of the Texas Government Code.				
V.	Renewals — Any renewals will be under the same requirements, terms and conditions as those of the original agreement documents. Only changes that are permitted within the scope of the originally awarded agreement may be considered in any renewal.				
W.	Vendor References – <u>If requested</u> , bidder will be required to submit Vendor References for current or past comparable work/service provided in the quality and scope of that specified in this IFB.		,		
X.	Public Disclosure				
	(a) Bidder acknowledges that Texas A&M Forest Service is obligated to strictly comply with the Public Information Act, Chapter 552, Texas Government Code, in responding to any request for public information pertaining to this Agreement, as well as any other disclosure of information required by applicable Texas law.				
	(b) Upon Texas A&M Forest Service's written request, bidder will provide specified public information exchanged or created under this Agreement that is not otherwise excepted from disclosure under chapter 552, Texas Government Code, to Texas A&M Forest Service in a non-proprietary format acceptable to Texas A&M Forest Service. As used in this provision, "public information" has the meaning assigned Section 552.002, Texas Government Code, but only includes information to which Texas A&M Forest Service has a right of access.				
	(c) Bidder acknowledges that Texas A&M Forest Service may be required to post a copy of the fully executed Agreement on its Internet website in compliance with Section 2261.253(a)(1), Texas Government Code.				
	(d) Bidders/businesses are also required to ensure that their employees who have been designated as Not Eligible for Rehire by a TAMU member are not involved in any work for the TAMU system.				
Y. 1	HUB – Historically Underutilized Businesses				
	All agencies of the State of Texas are required to make a good faith effort to utilize Historically Underutilized Businesses (HUBs) in procurements for commodities and services. It is the intention of the State of Texas and the Texas A&M Forest Service (TEXAS A&M FOREST SERVICE), as a good faith effort, to encourage the use of Historically Underutilized Businesses (HUBs) in all prime contracts, subcontracts, and purchasing transactions. TEXAS A&M FOREST SERVICE initiatives are to our prime contractors and core suppliers to achieve these ends through race, ethnic, and gender-neutral means. All procurements exceeding \$100,000 for either goods and/or services must include a completed State of Texas HUB Subcontracting Plan (HSP) submitted by vendor/contractor.				

BID OPENING: August 29, 2023 @ 2:00 p.m. CST

BID NO: IFB-23-021

n	Description	Quantity	UOM	Unit Price	Ext Price
	RIGHT TO AUDIT				
t t t t t t t	At any time during the term of this contract and for a period of four (4) years thereafter the Texas A&M Forest Service, the State of Texas, the Comptroller of the United States, the federal agency awarding a grant to the Texas A&M Forest Service which funds this procurement in whole or in part, or duly authorized audit representatives of these entities, at their own expense and at reasonable times, reserves the right to have access to, and to incrementally audit, awarded vendor's records that are elated to this contract. In the event such an audit by one or more of these entities reveals any errors and/or overpayments by Texas A&M Forest Service, awarded vendor shall refund Texas A&M Forest Service the full amount of such overpayments within thirty (30) days of such audit findings, or Texas A&M Forest Service at its option, reserves the light to deduct such amounts owed to Texas A&M Forest Service from any payments due to awarded vendor.				
E	BASIS OF AWARD				
A	Award Criteria – The evaluation of bid responses will include but is not limited to pricing, delivery, the extent of which the goods or services meet the needs of the TEXAS A&M FOREST SERVICE and any other factors the TEXAS A&M FOREST SERVICE deems relevant.				
	The TEXAS A&M FOREST SERVICE must be confident that the bidder's response will meet needs of the TEXAS A&M FOREST SERVICE. TEXAS A&M FOREST SERVICE will evaluate and make the award to the bid that is determined to be the best value to the agency based on the criteria listed below.				
	Evaluation Criteria:			- Al-	1
	Pricing				
	Delivery				
	Vendor's ability, capacity, and skill				
	Vendor's previous experience and past relationship with TEXAS A&M FOREST SERVICE				
	Any other factors TEXAS A&M FOREST SERVICE deems relevant				
B.	If bidder submits product or service literature and specifications TEXAS A&M FOREST SERVICE reserves the right to decide if items offered are equivalent to those specified. TEXAS A&M FOREST SERVICE alone shall determine "best value" to the agency and TEXAS A&M FOREST SERVICE' judgment in this regard shall be considered final.		TO THE LAW.		
C.	The TEXAS A&M FOREST SERVICE reserves the right to reject any and all bids, waive any technicalities.				
D.	By submitting a bid in response to this IFB, bidder agrees to this evaluation and award process and further accepts TEXAS A&M FOREST SERVICE' judgment and decision of award.				
TE	CHNICAL SPECIFICATIONS		1		

BID OPENING: August 29, 2023 @ 2;00 p.m. CST

BID NO: IFB-23-021

VENDOR: Cleveland Mack Sales, Inc.

Item	Description	Quantity	MOU	Unit Price	Ext Price
	ITEM/BID				
	Ken woth T880 or Peterbilt model 567 per Attachment B specification (No		EA	\$ 243.998.00	

GRAND TOTAL \$

\$ 975,992.00

TERMS AND CONDITIONS: THE FOLLOWING ITEMS APPLY TO AND BECOME A PART OF TERMS AND CONDITIONS OF QUOTATION ANY EXCEPTIONS THERETO MUST BE IN WRITING

INVITATION FOR BID IFB-23-021 - 8-pages

ATTACHMENTS

Attachment A - Texas A&M Forest Service, Terms and Conditions, 2-pages Attachment B - FY23 Kenworth Model T880/ Peterbilt model 567 Truck Specifications, 24-pages

Notice: Bidders are cautioned to carefully read all parts of this bid invitation and to ensure all requested bidder information is completed.

ATTACHMENT A **TEXAS A&M FOREST SERVICE** TERMS AND CONDITIONS

BIDDING REQUIREMENTS

Biblioters must comply with all rules, regulations and statutes relating to purchasing in the State of Texas in addition to the requirements of this form. Bidders must price per unit shown. Unit prices shall govern in the event of extension errors.

Bids should be submitted on this form. Any alternations to

- the original format and content of this form will result in the disqualification of bid.
- osquantication of bid. Late and/or unsigned bids will not be considered under any circumstances. Person signing bid must have the authority to bind the firm in a contract. Quote F.O.B. destination, freight prepaid and allowed

- unless otherwise stated within the specifications. Bid prices are requested to be firm for TFS acceptance for 60 days from opening date. Cash discounts are not considered in determining an award. Cash discounts offered will be taken if earned.
- bilds should give Payes ID Number, full firm name and address of bidder on the face of this form. Enter in the space provided, if not shown. The Payes ID Number is the er number assigned and used by the Comptroller of Public Accounts of Texas.
- Bid cannot be altered or amended after opening time. Any allorations made before opening time should be initiated by bidder or his authorized agent. No bid can be withdrawn after opening time without approval by TFS Purchasing Office based on a written acceptable reason.
- Purchases made for TFS are exempt from the State Sales tax and Federal Excise tax. Do not include tax in quotation. Excise Tax Exemption Certificate will be furnished by TFS pon request.

TFS reserves the right to accept or reject all or any part of any bid, waive minor technicalities and award the bid to best serve the interests of the TFS.

The telephone number for FAX submission of bid is (979) The telephone number for PAX summission of total is (9/9) 458-7387. This is the only number that will be used for the receipt of bids. TFS shall not be responsible for failure of electronic equipment or operator error. Late, illegible, incomplete, or otherwise non-responsive bids will not be

SPECIFICATIONS

- Catalogs, brand names or manufacture's references are Casada, trans names or manusculure's reterences are descriptive only, and indicate type and quality desired. Bids on brands of like nature and quality will be considered, unless advertised as a Proprietary Purchase in accordance with TAMU Procurement Code Section 1 (b) and TFS Purchasing Procedures, Section 4.13. If bidding on other than references, bid should show manufacturer, brand or name, and other description of product offered. If other than brand(s) specified is offered, illustrations and complete description of product offered is requested to be made part of the bid. Failure to take exception to specifications/reference data will require bidder to furnish specified brand names, numbers, etc.
- Unless otherwise specified, ilems shall be new and unused and of current production.

All electrical items must meet all applicable OSHA standards and regulations, and bear the appropriate listing from UL, FMRC or NEMA.

Samples, when requested, must be furnished free of expense to TFS. If not destroyed in examination, they will be returned to the bidder, upon request, at bidder's expense. Each sample should be marked with bidder's name and address, and Purchase Order number. Do not enclose in or attach bid to sample.

TFS will not be bound by any oral statement or representation contrary to the written specifications of this Invitation For Bid (IFB)

Manufacturer's standard warranty shall apply unless otherwise stated in the IFB.

TIE BIOS ards will be made in accordance with TAC Rule 20.36 (b) (3) and 20.38 (preferences).

DELIVERY

Show number of days required to place material in receiving agency's designated location under normal conditions. Delivery days mean calendar days, unless otherwise specified. Failure to state delivery time obligates bidder to deliver in 14 calendar days. Unrealistic delivery

promises may cause bid to be disregarded.

If delay is foreseen, vendor shall give written notice to TFS.

Vendor must kaep TFS advised at all times of order status.

Default of promised delivery (without accepted reasons) or failure to meet specifications authorizes TFS to purchase supplies elsewhere and charge full increase, if any, in cost

and handling to defaulting vehdor.

No substitutions permitted without TFS written approval

Delivery shall be made during normal working hours only, unless prior approval has been obtained from TFS. Each shipment must be accompanied by a packing slip which shows the TFS Purchase Order number and the description, quantity shipped and any back-ordered quantity for each item shipped. Each package must be clearly marked with the destination address and TFS Purchase Order number

INSPECTION AND TESTS

All goods will be subject to inspection and test by TFS. Authorized TFS personnel shall have access to any supplier's place of business for the purpose of inspecting merchandise. Tests shall be performed on samples submitted with the bid or on samples taken from regular shipment. All costs shall be borne by the vendor in the event products tested fail to meet or exceed all condition

and requirements of the specification. Goods delivered and rejected in whole or in part may, at the TFS' option, will be returned to the vendor or held for disposition at vendor's expense. Latent defects may result in revocation of

AWARD OF CONTRACT AND FORCE MAJURE

A response to this IFB is an offer to contract based upon the terms, conditions and specifications contained herein. Bids do not become contracts until they are accepted through a TFS purchase order. The contract shall be through a TFS purchase order. The contract shall be governed, construed and interpreted under the lews of the State of Texas, and as same may be amended. Any legal actions must be filed in Brazos County, Texas, The TFS may grant relief from performance of the contract if the vendor is prevented from compliance and performance by the act of wer, order of legal authority, act of God, or other unavoidable causes not altributed to the fault or negligence of the contractor. To obtain release on Force Majure, the vendor must file a put file requested the TES. vendor must file a written request to the TFS

Vendor shall submit one (1) copy of an itemized invoice vendor shall submit one (1) copy of an itemized invoice showing IFS Purchase Order number. IFS will incur no penalty for late payment if made in 30 or fewer days from receipt of goods or services and an uncontested invoice. TFS will not be liable for payment of invoices received six (5) or more months after receipt of goods/services.

PATENTS OR COPYRIGHTS
Vendor agrees to protect the TFS from claims

infringement of patents or copyrights. VENDOR ASSIGNMENTS

Vendor hereby assigns to TFS any and all claims for overcharges associated with this contract arising under the antifrust laws of the United States 15 U.S.C.A. Section 1, et seq. (1973), and the antifrust laws of the State of Texas. TEX. Bus. & Comm. Code Ann. Sec. 15.01, et seq. (1967). Inquiries pertaining to quotation must give the quotation number and opening date BIDDER AFFIRMATION

Signing this bid with a false statement is a material breach of contract and shall void the submitted bid or any resulting contracts, and the bidder shall be removed from all bid lists. By signature hereon affixed, the bidder hereby certifies that:

by signature hereon attend, the bidder neterby certifies that:
The bidder has not given, offerred to give, nor intends to give at any time hereafter any economic opportunity, future employment, gill, loan, gratuity, special discount, (tip, lavor, or service to a public servent in connection with the submitted quotation.

The bidder is not currently delinquent in the payment of any franchise tax owed the State of Texas.

Neither the bidder nor the firm, corporation, partnership or

institution represented by the bidder, or enyone acting for such firm, corporation or institution has violated the antitrust laws of this State, or the Federal Antifrust Laws, (see Section 9 above) nor communicated directly or indirectly the bid made to any competitor or any other persengaged in such line of business.

Pursuant to Section 2155.004(a) Government Code the

bidder has not received compensation for pericipation in the preparation of the specification for this IFB.

Pursuant to Section 231.006 (d), Family Code, re: child support, the bidder certifies that the individual or business antity named in this bid is not ineligible to receive the specified payment and acknowledges that this contract may be terminated and payment may be withheld if this certification is inaccurate cation is inaccura

Pursuant to Section 2155.004(b) Government Code the fer certifies that the individual or business entity name in this bid is not ineligible to receive the specified payment and acknowledges that this contract may be terminated

and/or payment withheld if this certification is ineccurate.
The Contractor shall defend, indemnity, and hold harmless the State of Texas, all of its officers, agents and employees from and against all claims, actions, suits, demands, proceedings, costs, damages, and liabilities, arising out of, connected with, or resulting from any acts or omissions of contractor or any agent, employee, subcontractor, or supplier of contractor in the execution of performance of this contract.

bis contract. Skilder agrees that any payment due under this contract will be applied towards eliminating any debt or delinquency, regardless of when it arises, including but not limited to iquent taxes and child support that is owed to the State

Bidder certifies that they are in compliance with section 669,003 of the Government Code, relating to contracting with executive head of a State agency. If section 659,003 applies, bidger will complete the following information in

order for the bid to be evaluated:
Name of Former Executive:
Name of State Agency:
Date of Separation from State Agency:
Position with 8idder:
Date of Employment with Bidder:

- agrees to comply with Government 2155.4441, pertaining to service contract use of products in the State of Texas.
- 10.11 Contractor understands that acceptance of funds under this contract acts as acceptance of the authority of the Sta Auditor's Office, or any successor agency, to conduct an audit or investigation in connection with those

funds. Contractor further agrees to cooperate fully with the State Auditor's Office or its successor in the conduct of the audit or investigation, including providing all records requested. Contractor will ensure that this clause concerning the authority to audit funds received indirectly by subcontractors litrough Contractor and the requirement to cooperate is included in any subcontract it awards.

to cooperate is included in any subcontract it awards. BUSINESS OWNERSHIP Pursuant to Saction 231.006 (c), Family Code, quotation must include name and Social Security Number of each person with at least 25% ownership of the business entity submitting the quotation. Bidders that have pre-registered this information on the TPASS Centralized Master Bidders List have satisfied the requirement. If not pre-registered, attach name & social security number for each person. Otherwise, information must be provided prior to award.

12. NOTE TO BEDOER

Any terms and conditions attached to a bid will not be considered. Such terms and conditions may result in qualification of the bid.

13. ALTERNATIVE DISPUTE RESOLUTION

The dispute resolution process provided for in Chapter 2260 of the Texas Government Code shall be used, as further described herein, by Texas A&M Forest Service and the Contractor to attempt to resolve any claim for breach of

contract made by the contractor:

(a) A contractor's claim for breach of this contract that the parties cannot resolve in the ordinary course of business shall be submitted to the negotiation process provided in Chapter 2260, subchapter B, of the Texas Government Code. To initiate the process, the contractor shall submit Code. To invate the process, the contractor shall submit written notice, as required by subchapter 8, to Robby DeWitt, Associate Director for Finance and Administration. Sald notice shall specifically state the provisions of Chapter 2260, subchapter 8, are being invoked. A copy of the notice shall be given to all other representatives of Texas A&M Forest Service and the contractor otherwise entitled to notice under the parties' contract. Compliance by the contractor with subchapter B is a condition precedent to the filing of a contested case proceeding under Chapter 2260, subchapter C. Texas Gov! Code.

(b) The contested case process provided in Chapter 2260, subchapter C, of the Texas Government Code is the subchapper: , or the Texas Government Code is the confractor's sole and exclusive process for seeking a remedy for any and all alleged breaches of contract by Texas A&M Forest Service, if the parties are unable to resolve their disputes under this subparagraph (A).

resolve their disputes under this subparagraph (A).
(c) Compliance with the contusted case process provided in subchapter C is a condition precedent to seeking consent to suc from the Logislature under Chapter 107 of the Civil Practices and Remedies Code. Neither the execution of this contract by Texas ABM Forest Service nor authority of the Civil Resolution of this contract by Texas ABM Forest Service nor authority of the Contract of the Civil Resolution of this contract by Texas ABM Forest Service nor any other conduct of any representative of Texas A&M Forest Service relating to the contract shall be considered

a waiver of sovereign immunity to suit.

(1) The submission, processing, and resolution of the contractor's claim is governed by the published rules adopted by the Office of the Altorney General of the State of Texas pursuant to Chapter 2260, as currently effective, hereafter enacted or subsequently amended. These rules are found under Title 1, Part 3, Chapter 58 of the TAC.
(2) Neither the occurrence of an event nor the pendency of

a claim constitutes grounds for the suspension performance by the contractor, in whole or in part.

(3) The designated individual responsible on behalf of Taxas A&M Forest Service for examining any claim or counterclaim and conducting any negotiations related thereto as required under Title 10, Subchapter B, Section 2260.052 of the Texas Government Code shall be Robby DeWitt, Associate Director for Finance and Administration (979) 458-7300.

14 PUBLIC DISCLOSURE

(a) Bidder acknowledges that Texas A&M Forest Service is obligated to strictly comply with the Public Information Act, Chapter 552, Texas Government Code, in responding to any request for public information pertaining to this Agreement, as well as any other disclosure of information required by applicable Texas law.

(b) Upon Texas A&M Forest Service's written request.

bidder will provide specified public information exchanged or created under this Agreement that is not otherwise excepted from disclosure under chapter 552, Texas Government Code, to Texas A&M Forest Service in a nonproprietary formal acceptable to Texas A&M Forest Service. As used in this provision, "public information" has the meaning assigned Section 552.002, Texas Government Code, but only includes information to which

Texas A&M Forest Service has a right of access.
(c) Bidder acknowledges that Texas A&M Forest Service may be required to post a copy of the fully executed Agreement on its internet website in compliance with

Section 2261.253(a)(1), Paxas Government Compilarion with Section 2261.253(a)(1), Paxas Government Code. HAB ACT, VEVRAA, SECTION 501
This confination and subcontinator shall abide by the requirements of 41 CFR §§ 60-1.4(a), 60-300.5(a) and 60-741.5(a). These regulations prohibit discrimination against qualified individuals based on their status as protected veterans or individuals with disabilities, and prohibit discrimination against all individuals based on their race, color, religion, sex, or national origin. Moreover, these regulations require that covered prime contractors and subcontractors take affirmative action to employ and advance in employment individuals without regard to race, color, religion, sex, national origin, protected veteran status

ATTACHMENT A TEXAS A&M FOREST SERVICE TERMS AND CONDITIONS

- 16. Conflict of Interest. By executing this Agreement, Contractor and each person signing on behalf of Contractor certifies, and in the case of a sole proprietorship, partnership or corporation, each party thereto certifies as to its own organization, that to the best of their knowledge and befief, no member of The A&M System or The A&M System Board of Regents, nor any employee, or person, whose salary is payable in whole or in part by The A&M System, has direct or indirect. Enancial interest in the award of this Agreement, or in the services to which this Agreement relates, or in any of the profits, real or potential, thereof.
- Agreement, or in the services to which this Agreement relates, or in any of the profits, real or potential, thereof.

 17. Prohibition on Contracts with Companies Boxeotting Israel, Prohibition on Contracts with Companies Boycotting Israel. To the extent that Texas Government Code, Chapter 2270 applies to this Agreement, PROVIDER certifies that (a) it does not currently boycott Israel; and (b) it will not boycott Israel during the term of this Agreement. PROVIDER acknowledges this Agreement may be termineled and payment withheld if this certification is inaccurate.
- 18. Certification Regarding Business with Certain Countries and Organizations. Pursuant to Subchapter F, Chapter 2252. Texas Government Code, Contractor certifies it is not engaged in business with Iran, Sudan, or a foreign terrorist organization. Contractor acknowledges this Agreement may be terminated if this certification is inaccurate.
- terminated if this cortification is inaccurate.

 Prohibition on Centracts Related to Persona Involved in Human Trafficking, Under Section 2155,0061, Government Code, the Contractor certifies that the individual or business entity named in this Agreement is not ineligible to receive the specified contract and acknowledges that this contract may be terminated and payment withheld if this certification is inaccurate.

PERFORMANCE TRUCK - LUFKIN

2501 N. Medford Drive, Lufkin, Texas 75901

Phone: (936) 634-3000

BUYER'S ORDER

Purchaser: Texas A&M Forest Service T	Felenberg, 026 975 4040 Fern		
	Telephone: 936-875-4840 Fax:		
Mailing Address: PO Box 310 City: Lufkin State: TX Zip: 75904		County: Angelina	
Physical Address: 155 Texas Forest Service Loop City: Lufkin State: TX Zip: 759	904	County: Angelina	
Description: NEW 2025 KENWORTH T880	Email Address: bw	hitworth@tfs.tamu.edu	
Mileage: Color: L0006 White NOTE: Sales tax and license fee may apply to	but are not included in this quote.		
VIN: TO ORDER Comments: See attached vehicle summary, quote ID # QUO-973	3868-B5L3Y1.		
Purchaser's Agent: Billy Whitworth Title:	License Type: Combination A	ccount # TAMU Forest	
LICENSE - TITLE INFORMAT	TION		
Months: 12 Tractor: X Truck: Trailer: Body Type: N/A Color:	WHI Tons:	GCW: 80000	
Apportioned: IMC # Combination: X Com'l: Token Trailer:	Gas: Diesel: X		
INSURANCE INFORMATION			
AGENCY: S	SELLING PRICE*	243,455.92	
NAME: PHONE: A	ACCESSORIES		
LIEN INFORMATION C	CASH PRICE W/ACCESS.	243,455.92	
NAME: LIEN DATE: TI	RADE IN ALLOWANCE		
ADDRESS: PHONE: N	IET CASH DIFFERENCE	243,455.92	
CITY, STATE, ZIP:	EDERAL RETAIL EXCISE TAX		
	NET PRICE	243,455.92	
AMOUNT: NAME: S	STATE SALES TAX	-	
и	ICENSE MO. & FEE (APR)	-	
ADDITIONAL INFORMATION TI	TILE FEE (INCLUDES \$5 TAG FEE)	5.00	
This proposal is per truck for 4 trucks to be built ASAP, FOB - Lufkin, TX.	COMMERCIAL INSPECTION FEE	-	
	DEALER'S INVENTORY TAX	462.08	
New 2025 Kenworth T880 Tractor w/ 40" Inch Flat Top Sleeper	OCUMENTARY FEE**	75.00	
Cummins X15 505EV / Allison 4500EVS 6 Speed Trans	XTENDED WARRANTY		
	UBTOTAL	243,998.00	
	ALANCE OWED ON TRADE		
	UBTOTAL	243,998.00	
*Current build slots are for Q1 2024 build. Delivery date TBD.	REPAYMENT		
	ALANCE DUE UPON DELIVERY	243,998.00	
DISCLAIMER OF WARRANTY	* PRICE IS SUBJECT TO INDUSTRY AND ENVIRONMENTAL		
	COST IMPACTS BEYOND THE CONTROL OF		
	** A DOCUMENTARY FEE IS NOT AN OFFICIAL FEE. A DOCUMENTARY		
hereby expressly disclaims all warranties, either express or implied, including any implied warranty of merchantability or fitness for a particular purpose, and CLEVELAND MACK SALES, INC.,	FEE IS NOT REQUIRED BY LAW, BUT MAY BE CHARGED TO BUYERS FOR HANDLING DOCUMENTS RELATING TO THE SALE. A DOCUMENTARY		
	FEE MAY NOT EXCEED A REASONABLE AMOUNT AGREED TO BY THE		
any other person to assume for it any liability in connection with the sale of said products.	PARTIES. THIS NOTICE IS REQUIRED BY LAW.		
Vehicle(s) are subject to prior sale and will not be held m			

PURCHASER	THIS ORDER NOT BINDING UNTIL ACCEPTED BY DEALER.
SALESPERSON	ACCEPTED BY



PERFORMANCE TRUCK - CLEVELAND (C359) 1287 HIGHWAY 59 NORTH CLEVELAND, Texas 77328

TEXAS A & M FOREST SERVICE COLLEGE STATION, Texas 77845 United States of America

Drew Vest

Cell Phone: 281-610-8007 Office Phone: 713-844-7111

Email: avest@performancetruck.com

Billy Whitworth

Email: bwhitworth@tfs.tamu.edu

Vehicle Summary

	Unit	Chassis	
Model:	T880 Series Conventional	Fr Axle Load (lbs):	20000
Type:	TRACTOR	Rr Axle Load (lbs):	46000
Description 1:	T880 Haul Tractor	G.C.W. (lbs):	110000
Description 2:	X15EV / Allison	(44)	
	Application	Road Conditions:	
Intended Serv.: F	ire Truck Service: Vehicles used in fi	Class A (Highway)	79
Commodity:	EMT/rescue	Class B (Hwy/Mtn)	20
		Class C (Off-Hwy)	1
	Body	Class D (Off-Road)	0
Type:		Maximum Grade:	6
Length (ft):	0	Wheelbase (in):	215
Height (ft):	0	Overhang (in):	61
Max Laden Weight (lbs):		Fr Axle to BOC (in):	74
		Cab to Axle (in):	141
	Trailer	Cab to EOF (in):	202
No. of Trailer Axles	2	Overall Comb. Length (in):	875.5
Туре:	Other		
Length (ft):	53	Special Reg.	
Height (ft):	13.5	U.S. Domestic Registry, 50-state.	
Kingpin Inset (in):	36	oron Damosto Hogistiy, or oldio.	
Corner Radius (in):			
	Restrictions		
Length (ft):	120		
Width (in):	102		
Height (ft):	13.5		
Approved by:		Date:	

Note: All sales are F.O.B. designated plant of manufacture.

Price Level: January 1, 2024 Deal: T880 Haul Tractor

Printed On: 8/28/2023 9:45:59 AM



Model	Sales Code	Std/ Opt	Description	Weigh
0070060 S T880 O072000 O Chassis Operation Will Not Incl. Stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes). O080070 O CARB Exempt Application Emergency Vehicle Only. O800310 O EPA Clean Idle Label - Cummins Engines O990140 O 40 in. Low-Roof Sleeper With Rear Axle Capacity Less Than 59K O98443 O State of Registry: Texas Engine & Equipment O130358 O Cummins X15 505EV 505@1800 1850@1000, 2024 with Intebrake, Emergency Vehicle N09420 C333 0Reserve Speed Limit Offset (N09380 C334 0Maximum Cycle Distance (C334 N09360 C400 474Reserve Speed Function Reset N09200 C399 120Standard Maximum Speed Limit N09400 C401 10Maximum Active Distance (C400 N09220 C402 0Expiration Distance (C401 N09260 C395 0Expiration Distance (C402) N09540 C395 0Expiration Distance (C402) N09540 C395 0Expiration Distance (C402) N09540 C395 N0Expiration Distance (C402) N09560 C131 86Maximum Accelerator Pedal Ve N09440 C234 YESEngine Protection Shutdown (N09460 C231 N0Gear Down Protection (C231) N09560 C132 1400Max PTO Speed (C132) N09360 C132 1400Max PTO Speed (C132) N09360 C138 N0Alle Shutdown Manual Overrul N09480 C132 1400Max PTO Speed (C128) N09500 C299 NOCruise Control Auto Resume (N09500 C299 NOCruise Control Auto Resume (N09500 C299 NOCruise Control Auto Resume (N09500 C299 NOHigh Ambient Temperature Thr	Model	***		
O072000 O Chassis Operation Will Not Incl. Stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes). O080070 O CARB Exempt Application Emergency Vehicle Only. O080310 O EPA Clean Idle Label - Cummins Engines O090140 O 40 in. Low-Roof Sleeper With Rear Axle Capacity Less Than 59K O098443 O State of Registry: Texas Engine & Equipment O130358 O Cummins X15 505EV 505@1800 1850@1000, 2024 with Intebrake, Emergency Vehicle N09420 C333 0Reserve Speed Limit Offset (N09380 C334 0Maximum Cycle Distance (C334 N09380 C400 474 Reserve Speed Function Reset N09200 C399 120Standard Maximum Speed Limit N09400 C401 10Maximum Active Distance (C40 N09220 C402 0Expiration Distance (C402) N09540 C395 0Expiration Distance (C395) N09260 C121 88Maximum Accelerator Pedal Ve N09440 C234 YESEngine Protection Shutdown (N09460 C231 NOGear Down Protection (C231) N09580 C133 5Timer Setting (C133) N09680 C233 Nodle Shutdown Manual Overrul N09480 C132 1400Max PTO Speed (C132) N09500 C239 NoCruise Control Auto Resume (N09500 C239 NoCruise Control Auto Resume (N09500 C239 NoAuto Engine Brake in Cruise N09200 C209 120Hard Maximum Speed Limit (C2 N09780 C190 80High Ambient Temperature Thr	0000810	S	T880 Series Conventional	15,54
application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes). 0080070 O CARB Exempt Application Emergency Vehicle Only. 0080310 O EPA Clean idle Label - Cummins Engines 0090140 O 40 in. Low-Roof Sleeper With Rear Axle Capacity Less Than 59K 0098443 O State of Registry: Texas Engine & Equipment 0130358 O Cummins X15 505EV 505@1800 1850@1000, 2024 with Intebrake, Emergency Vehicle N09420 C333 0Reserve Speed Limit Offset (N09380 C334 0Maximum Cycle Distance (C334 N09380 C400 474Reserve Speed Function Reset N09200 C399 120Standard Maximum Speed Limit N09400 C401 10Maximum Active Distance (C40 N09220 C402 0Expiration Distance (C402) N09540 C395 0Expiration Distance (C395) N09280 C121 88Maximum Accelerator Pedal Ve N09440 C234 YESEngine Protection Shutdown (N09460 C231 NOGear Down Protection (C231) N09580 C133 1Timer Setting (C133) N09680 C233 NOkle Shutdown Manual Overrul N09480 C132 1400Max PTO Speed (C128) N09500 C239 NOCruise Control Auto Resume (N09520 C39 NOCruise Control Auto Resume (N09520 C239 NOCruise Control Auto Resume (N09520 C239 NOAuto Engine Brake in Cruise N09240 C209 120Hard Maximum Speed Limit (C2 N09780 C190 80Hard Maximum Speed Limit (C2 N09780 C190 80.	0070060	S	T880	
0080310 O EPA Clean Idle Label - Cummins Engines	0072000	0	application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer	
0090140	0080070	0	CARB Exempt Application Emergency Vehicle Only.	
With Rear Axle Capacity Less Than 59K	0080310	0	EPA Clean Idle Label - Cummins Engines	
O	0090140	0		
Cummins X15 505EV 505@1800 1850@1000, 2024 with Intebrake, Emergency Vehicle N09420 C333 0Reserve Speed Limit Offset (0098443	0		
with Intebrake, Emergency Vehicle N09420 C333 0Reserve Speed Limit Offset (N09380 C334 0Maximum Cycle Distance (C334 N09360 C400 474Reserve Speed Function Reset N09200 C399 120Standard Maximum Speed Limit N09400 C401 10Maximum Active Distance (C40 N09220 C402 0Expiration Distance (C402) N09540 C395 0Expiration Distance (C395) N09260 C121 68Maximum Accelerator Pedal Ve N09440 C234 YESEngine Protection Shutdown (N09460 C231 NOGear Down Protection (C231) N09580 C133 5Timer Setting (C133) N09680 C233 NOIdle Shutdown Manual Overrul N09480 C132 1400Max PTO Speed (C132) N09300 C128 68Maximum Cruise Speed (C128) N09500 C239 NOCruise Control Auto Resume (N09520 C238 NOAuto Engine Brake in Cruise N09240 C209 120Hard Maximum Speed Limit (C2 N09780 C190 80High Ambient Temperature Thr	Engine 8	& Equi	pment	
N09760 C189 60Intermediate Ambient Tempera N09720 C382 YESEnable Hot Ambient Automatic N09600 C396 YESEnable Impending Shutdown Wa N09620 C397 60Timer For Impending Shutdown N09640 C206 35Engine Load Threshold (C206) N09560 C225 YESEnable Idle Shutdown Park Br	0130358	0	with Intebrake, Emergency Vehicle N09420 C333 0Reserve Speed Limit Offset (N09380 C334 0Maximum Cycle Distance (C334 N09360 C400 474Reserve Speed Function Reset N09200 C399 120Standard Maximum Speed Limit N09400 C401 10Maximum Active Distance (C40 N09220 C402 0Expiration Distance (C402) N09540 C395 0Expiration Distance (C395) N09260 C121 68Maximum Accelerator Pedal Ve N09440 C234 YESEngine Protection Shutdown (N09460 C231 NOGear Down Protection (C231) N09580 C133 5Timer Setting (C133) N09680 C233 NOIdle Shutdown Manual Overrul N09480 C132 1400Max PTO Speed (C132) N09300 C128 68Maximum Cruise Speed (C128) N09500 C238 NOCruise Control Auto Resume (N09520 C238 NOAuto Engine Brake in Cruise N09240 C209 120Hard Maximum Speed Limit (C2 N09780 C190 80High Ambient Temperature Thr N09740 C188 40Low Ambient Temperature Thre N09760 C189 60Intermediate Ambient Tempera N09720 C382 YESEnable Hot Ambient Automatic N09600 C396 YESEnable Impending Shutdown Wa N09620 C397 60Timer For Impending Shutdown N09640 C206 35Engine Load Threshold (C206)	3

Printed On: 8/28/2023 9:45:59 AM



Sales Code	Std/ Opt	Description	Weigh
1000151	S	PremierSpec	
1000244	0	Gearing Analysis: Balance power/economy blend results.	
1000254	0	Customer's Typical Operating Spd: 65 MPH	(
1000524		RegistrationYear Year of Registration: 2024	(
1000683	0	Effective VSL Setting 65.0 MPH or Greater (USA)	(
1000858	0	Engine Idle Shutdown Timer Disabled	(
1000859	0	Enable EIST Ambient Temp Overrule	0
1000870		Eff EIST 0 Expiration Miles (USA) Use only with MX and Cummins engines	0
1002080	0	Air Compressor: Cummins 18.7 CFM, Naturally Aspirated for Cummins X15 engines	0
1051200	S	Air Cleaner: Composite Firewall Mounted PACCAR or Cummins Engines	0
1099080	0	Pre-Cleaner Mounted in the Hood Plenum	0
1105220	0	Fan Hub: Horton 2-Speed for X15	0
1123555	S	Cooling module: 1330 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant.	0
1160208	0	Bug Screen: Between Hood & Grille	2
1247263	S	EXH: Single Can 2024 RH Under with RH Side-of-Cab Vertical Tailpipe	0
1290342	0	Tailpipe: 7 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	6
1321109	0	Fuel Filter: PACCAR Standard Service Interval Fuel/Water Separator. 2017 and Later Emissions	0
1321205	S	Run Aid:Fuel Heat *For Fuel Filter	0
1321305	S	Start Aid:12V Heat *For Fuel Filter	0
1500029	0	Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.	6
1816260	0	Alternator: PACCAR 160 amp, Brush Type	0
1821210	S	Batteries: 3 PACCAR GP31 Threaded Post (700-730) 2100-2190 CCA dual purpose.	0

Printed On: 8/28/2023 9:45:59 AM



Sales Code	Std/ Opt	Description	Weigh
1836106	0	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	
1840005	0	Battery Disconnect Switches 2, Mounted On Battery Box.	:
1840065	S	12V Low Voltage Disconnect for Battery Protection	(
1900996	0	Jump Start Terminals Under Hood.	12
1901017	S	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	
Transmi	ssion	& Clutch	
2016630	0	Transmission: Allison 4500EVS 6-speed, With PTO drive gear. No Retarder. 6th Generation controls. Emergency Vehicle only. Includes shift control, transmission oil temperature gauge, oil level sensor & heat exchanger. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	478
2406453	0	Driveline: 2 Dana SPL250XL 1 Centerbearing Low maintenance offering from Spicer. On-highway 350K mi first service interval, 100K mi subsequent service interval on U-joint, splines lubed for life, quick disconnect end caps.	8:
2410018	0	Torque Converter Included W/ Allison Transmission.	,
2410151	0	Pushbutton Control Center Console Mounted. Class 8 with Allison Transmission.	
2410244	0	J1939 Park Brake Auto Neutral	
2429358	0	Rear Transmission Support Springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	
Front Ax	le & E	quipment	
2516006	0	Meritor MFS20 20K 3.74in. Drop Wide Track.	-
2607015	0	Front Brakes: 14,601-22K Bendix RSD ADB22X Disc Brake.	1
2690025	0	Splined Rotor for Front Air Disc Brakes for Use with Iron Hubs.	
2702020	0	Front Hubs Iron Hub Pilot 20,000 lbs. 10 Bolt 16.5x6in. or 7in. or air disc brakes. 10 Bolt, 11-1/4 in. bolt circle. Consider Wheelguards (5850002) with aluminum wheels.	80
2741970	S	ConMet PreSet Plus Hub Package; Front Axle.	
2750001	S	Hubcap: Front Vented.	
2769000	S	Slack Adjusters Included W/ Front Axle or Brakes.	

Printed On: 8/28/2023 9:45:59 AM



Sales Code	Std/ Opt	Description	Weigh
		Also use with disc brakes.	
2866020	S	Front Springs: Taperleaf 20K W/ Shock Absorbers w/ meintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L. W900B use 2866021.	
2895302	S	Dual Power Steering Gear: 16-22K Sheppard HD94. Heavy duty. Not for use on T3.	
2899336	S	Power Steering Cooler:Radiator Mounted Air-to-Oil	
2900616	0	Threaded Bushings for Taperleaf Spring 16K, 18/20K, 22K, 40K replacing rubber.	
Rear Ax	le & E	quipment	
3144183	0	Dual Dana Spicer D46-172HP Rear Axle rated at 46K. w/ 16mm housing and 2.06in. shaft diameter. Includes pump. Tandem rear exles.	-15
3200410	0	Rear Axle Retio - 4.10.	
3304012	0	Dual Rear Brake: Bendix RSD 16.5X7 46K Capacity Reduced Stopping Distance Tractor Only. RSD-Compliant HP- ES S-Cam, tandem axle drum brake.	2
3392005	0	Dual Rear Brake Drums: Cast. For use with 16.5X7" or 16.5X8.625" brake.	20
3407046	0	Longer Studs for Aluminum Wheels W/ Steel Hub pilot wheels.	
3407050	S	Dual Rear Hubs: Aluminum Hub Pilot 46K; 11.25" bolt circle. Requires "R" series outer ends.	
3441972	S	ConMet PreSet Plus Hub Package; Dual Rear Axle.	
3465002	0	Tandem Rear Axle Automatic Slack Adjusters. For use with drum brakes.	
3485207	0	Spring Brake: 3030 Long Stroke Dual 30 Square inches travel. For drum brakes. Helps keep brakes in adjustment longer.	8
3495225	0	FMVSS-136 Stability Control Schedule Review Chassis meets FMVSS-136 requirements and must be equipped with Electronic Stability Control. Reference Option code placed on order.	
3495231	0	Bendix 6S/6M Anti-Lock Brake System W/ Air traction control (ATC) and electronic stability program (ESP) for tractor.	1
3500057	0	Interaxle Driveline: 1 Dana SPL170XL Tandem Rear Axles Only	
3532194	0	Wheel Differential Lock for Dana Spicer Axles D40-170(P)/D46-170(H)(P)(WT) forward rear axle & rear rear axle.	11
3740130	S	Rear suspension: Tandem Kenworth Airglide 460 46K 54 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve.	
3830145	0	Delete Standard Heavy-Duty Air Springs for Rear suspension.	-2
3839002	0	Air Suspension Over-Inflation Valve W/ Warning light to temporarily raise the frame.	

Price Level: January 1, 2024

Deal: T880 Haul Tractor

Printed On: 8/28/2023 9:45:59 AM



Sales Code	Std/ Opt	Description	Weigh
Tires & V	Vheels		
4080185	0	Front Tires: Apollo Endutrax 315/80R22.5 20PR	-7
4217226	0	Rear tires: Michelin XMultiEnergyD 11R24.5 16PR 43.4 in. diameter, drive. 20.4 in. SLR. Smartway certified. Code is priced per pair of tires.	23.
4900008	0	Rear Tire Quantity: 8	
5045268	0	Front Wheel: Alcoa 89U63 22.5X9 AL. Ultra One High Polish Wheel.	-3
5242310	0	Rear Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole. Code is priced per pair of wheels.	14
5853906	0	Powder Coat White Steel Wheel. Use in Conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	
5900008	0	Rear Wheel/Rim Quantity: 8	
Frame &	Equip	oment	
6056400	0	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in. to 336 in. Truck frame weight is 3.48 lbin. per pair of rails. Section modulus is17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	33
6302361	0	Bumper: Tapered Polished Aluminum Channel. Requires a bumper setting code.	
6319485	S	48.5 in. Bumper Setting. Requires a Bumper Code.	
6321005	0	Removable Front Tow Hooks: 2.	1
6390312	0	Brackets: Iron Front Spring Drive. Included with front spring capacity of 16,000 lbs or greater; code not required.	4
6391203	0	Custom Frame Layout: 3-4 Chassis CRL A/T: xxx	
6405048	S	Battery Box Module: Short Length Aluminum parallel under cab, aluminum diamond plate cover w/ step. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	
6409901	S	Battery Box Location: LH Side.	
6410010	0	Frame Access Grabhandle(s) LH Mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	
6410011	0	Frame Access Grabhandle(s) RH Mounted. Placement	

Printed On: 8/28/2023 9:45:59 AM



Sales Code	Std/ Opt	Description	Weigh
		and quantity of grabhandles may vary due to FMCSR frame access requirements.	
6410092	0	Frame Access Grabhandle Horizontal Mounted at midpoint of sleeper or Daycab.	2
6414003	0	Medium Aluminum Frame Access Deck Plate, 36 in.	15
6417009	0	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, RH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	6
6418008	0	Frame Access Steps: 2 for Fuel/Hydraulic Tank BOC, LH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	6
6451090	S	T470,C5, T6, T8 Non-Polished DPF/SCR or CNG Cover diamond plate w/ step. For use w/ 2010 or later exhaust systems. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.	0
6543966	0	Fifth Wheel: ILS>40K air Hol FW35M936XL00 36 in. slide, 9 in. height. Outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	617
6679824	0	Width Across Front Tires Exceeds 102 inches. Dealer to review delivery constraints w/transporter.	0
6679914	0	Any Changes to Rear Cab/Sleeper Area Must Comply w/FMCSR 399.	0
6679915	0	Customer-Installed Bulkhead and/or Headache	0
6690120		FifthWheelSetting FW rear/fixed setting behind bogie 12 in indicates rearmost setting measured rearward from centerline of tandem or single rear axle	0
6721102	S	Rear Mudflap Arms: Betts B-25 Standard-Duty, straight. Includes B1732 mounting brackets as standard.	0
6722000	S	Rear Mudflap Shields: White Plastic Antisail W/ Kenworth logo.	0
6737120	0	Quarter Fenders: Black Polypropylene W/ Painted steel brackets, single post mounted, 21 in. white top flap with logo.	43
6744121	0	Tractor Taper W/O Crossmember. Non-Towing end-of-frame configuration.	-6
6747000	0	Shortest End-of-Frame Cutoff With Specified end-of-frame configuration. Selecting this code will override the overhang dimension found in the Vocational Analysis of the sales tool.	0
Fuel Tar	nks & E	Equip	
7214152	0	Split Tank: 150 US Gallon 24.5 in. Aluminum BOC replace. Split: fuel 100 gallon, hydraulic 50 gallon. Class 8 fuel tanks without locking caps include an anti-siphon device in the filler neck. A	74

Printed On: 8/28/2023 9:45:59 AM



Weig	Description	Std/ Opt	Sales Code
	third tank support is required with this tank unless heavy-duty 7 in. wide supports are specified.		
11	Fuel Tank: 120 US Gallon 24.5 in. Aluminum BOC add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	0	7216120
1	Medium Round DEF Tank, 23.8 Gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	0	7722154
	Minimum Required DEF to Fuel Fill Ratio.	0	7889206
	Anti-Siphon Device in Fuel Tank Filler Neck. For any number of fuel tanks.	S	7889245
	DEF Tank Location is LH.	S	7889604
	Location: 150 gal split tank RH behind cab	0	7930152
	Location: 120 gal fuel tank LH behind cab	0	7940120
	nent	quipm	Cab & E
	Cab: Stamped Aluminum Cab with Panoramic Curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self-piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals.	S	8025301
58	Sleeper: 40 in. Integral Low Roof With Locking Tool Doors	0	8071640
	Hood: T880 Standard Length With Mechanically Fastened Fenders. 122.6 inch BBC.	0	8090604
1		_	8098212
1	Bright Engine Air Intake Chrome Trimmed Engine Air Intake on Both Sides of Hood	0	
	Bright Engine Air Intake Chrome Trimmed Engine Air Intake on Both Sides of Hood Fine Particulate Filter for Cabin Air HVAC system. To provide extra filtration in high dust applications. Cabin airflow is reduced with this additional filter. *Cannot be used with code 8108003.	0	8108002
	Chrome Trimmed Engine Air Intake on Both Sides of Hood Fine Particulate Filter for Cabin Air HVAC system. To provide extra filtration in high dust applications. Cabin airflow is reduced with this additional filter. *Cannot be used with code		

Printed On: 8/28/2023 9:45:59 AM



Weigh	Description	Std/ Opt	Sales Code
0	Column Mtd Retarder Control, RH Side	0	8201051
	Use with Manual & Allison Transmissions Only.		
0	Adjustable Telescoping Tilt Steering Column.	S	8201200
0	5 Sets of Keys. Replaces Standard 2 Sets of Keys.	0	8203060
0	Dash Mounted Compact Trailer Brake Valve. Non-Self Returning.	0	8203197
0	Two Spare Switches: Wired to Power.	0	8208495
0	Gauge: Dash Mounted Air Filter Restriction Gauge.	0	8220106
0	Gauge: Additional Dash Mounted Air Pressure Gauge Includes piping to BOC/BOS.	0	8221139
0	Gauge: Engine Oil Temperature Gauge With Integral warning light. The NavPlus HD unit includes a virtual engine oil	0	8221160
0	temperature gauge. Gauge: DD Virtual Gauge - Oil Temp Engine	S	8222404
0	Gauge: DD Virtual Gauge - Manifold Pressure Boost	S	8222413
0	Gauge: DD Virtual Gauge - Engine Percent Torque	S	8222414
0	Gauge: Fuel Filter Restriction Gauge.	0	8222712
0	Main Instrument Package: 15" Digital Display. Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application.	S	8282027
0	Modular Dash Options: RH Dash Storage Unit With two shelves. Reduces total gauge count; HD by 6 and MD by 4.	0	8282108
0	Interior Color: Slate Gray	S	8300008
0	Vantage 40 in. Sleeper Cab includes durable vinyl headliner and sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cup holders and large door pad map pocket. Standard LH and RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and foot well, door mounted courtesy light and two dash 12V power outlet. Driver sun visor includes strap. Sleeper interior includes two overhead storage bins, two large record holders, one magazine rack, cell phone cubby, three large coat hooks and two 12V plugs. 12V ports and USB plug in the sleeper are battery powered.	0	8330140
0	Rubber Floormat	S	8390634
0	Driver Seat: GT701 HB with Vinyl material.	0	8410200

Printed On: 8/28/2023 9:45:59 AM



Sales Code	Std/ Opt	Description	Weigh
		The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	
8460200	0	Rider Seat: GT701 HB with Vinyl material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. RD seat standard w/ LH armrest.	34
8490181	S	Seat Color: Black	0
8496559	0	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	0
8520021	0	40in Sleeper Liftable Bunk:78in X 24in With 6.5in Foam Mattress (Smallest Legal Bunk Width). Bunk Opens 90 Degrees For Easy Access To Stored Items.	0
8601432	0	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	0
8698976	0	Base Level Audio System -Sleeper:High Performance Door and Back Wall Speakers.	4
8699926	0	CB Installation Kit: Center Mounted of Header. W/header mounted quick release CB mount. One red power post & one black ground post. Includes dual antenna leads located on the mirror brackets. Includes dual antenna & separate speaker.	2
8700197	S	Turn Signal: Non-Self Cancelling	0
8700283	S	LH and RH Trip Ledge Rain Deflectors	0
8700663	S	Kenworth TruckTech+: This system provides the World's Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This is standard on all Kenworth models with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine.	0
8800260	0	Long Grabhandle RH Side Mounted to Side-of-Cab exhaust.	2
8800372	0	Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.	3
8800402	S	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	0
8832113	S	Kenworth Daylite Door With Standard LH/RH electric door locks and LH/RH electric window controls.	0
8841618	0	Dual Rectangular Air Horn 23 in. LH & RH Top of roof. Includes air horn covers.	4
3850139	S	Look-Down, Pass. Door, Black 11x6	0
3865002	S	Aero Mirror: Dual Kenworth Aerodynamic Motorized	0

Printed On: 8/28/2023 9:45:59 AM



Sales Code	Std/ Opt	Description	Weight
		heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms. Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for 8-1/2 ft load width. Mirror controls located on driver side door pad.	
8873751	0	Rear Sleeper Stationary Window with Dark Tint and 19in.X36in. curtains.	22
8890101	S	One-Piece Bonded-In Windshield With Curved Glass. Standard.	0
8890135	S	Exterior Stainless Steel Sunvisor.	19
8890349	S	Wheelwell Fender Extension: 2.5 Inches	0
8890876	S	Kenworth Cab/Sleeper Air Suspension.	0
8891021	0	Extreme Temperature Insulation: 40 inch Sleeper Additional cab and sleeper insulation with improved material properties over standard insulation package.	1
Lights 8	l Instru	iments	
9010553	S	Headlamps: SAE Dual Halogen Complex Reflector	0
9022137	S	Marker Lights: Five, Rectangular, LED	0
9030016	S	Turn Signal Lights: Flush Mounted LED. Mounted at top of fender wheel arc.	0
9030052	S	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	0
9056140	0	Dual Pedestal Floodlights: First Set	2
9059901	0	Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	0
9090027	0	Headlamps to Turn on When Wipers are Active.	0
9090039	S	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	0
9090049	S	Omit Brake Light with Engine Brake. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	0
9090117	0	Marker Lights: Midframe & reflectors mounted standout. Required on tractors where overall length exceeds 30 feet.	22
9090126	0	Electric Backup Alarm: Meets SAE J994 & OSHA requirements.	4
9090849	0	Polyswitches Replacing Fuses. Switch Will automatically reset after removal of excess load.	0

Price Level: January 1, 2024

Deal: T880 Haul Tractor

Printed On: 8/28/2023 9:45:59 AM



Sales Code	Std/ Opt	Description	Weight
9101219	0	Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard	0
9108001	S	Moisture Ejection Valve W/ Pull Cable Drain.	(
9110100	0	Tractor Kit: Slide Bar, Spring Hanger & Composite gladhand/light plug holder mounted on back of cab/sleeper. Air and light line connections located on outboard style LH frame mounted bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity	
9120015	0	components are standard. Air and light line length 15 feet	(
9140020	S	Nylon Air Tubing in Frame & Cab, Excluding Hoses subject to excessive heat or flexing.	(
9140328	0	Trailer ABS Electric Supply Through SAE J560 7-pin connector per TMC RP137).	(
9140361	0	Phillips 15' Straight Air/Light Lines Spiral Wrap 30-21712KW Reg. Trct Kit	3
9140700	0	Standard hosetenna Bracket Location. Hosetenna bracket will be located plus or minus six inches from standard location of eight inches.	
9150170	0	Air Tanks: Aluminum Replacing Steel All Tanks. *Not air tanks on lift axles.	-44
Extende	d War		
9200021	S	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	(
9212651	0	TruckTech+ RD - 3YR Sub Cummins Engines	(
9220001	0	Base Warranty: Emissions 5YR/100K MI - EPA Engine	0
Miscella	neous		
9409852	0	GHG Secondary Manufacturer: Does Not Apply	0
9490003	0	Additional Lead Time Required for Off Highway & /or specialty component truck.	(
9490206	0	Warning Triangle Reflector Kit: Shipped Loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	4
9490404	0	One 5 lb. Dry Chemical Type Fire Extinguisher mounted outboard of driver seat. Class ABC.	11
9490645	0	Zinc Phosphate Frame Rail Paint Processing. Requires frame rail code. Code is for 1 pair of rails.	0
9491659	S	VMUX Architecture	0

Promotions

Price Level: January 1, 2024 Deal: T880 Haul Tractor

Printed On: 8/28/2023 9:45:59 AM



Sales Code	Std/ Opt	Description	Weight
Paint			
9700000	0	Paint Color Number(s).	0
		N9702 A - L0006 WHITE N9720 FRAME N0001 BLACK	
9943004	0	Bumper Unpainted	0
9943049	0	Sleeper Bulk Paint	0
9943053	0	Sleeper Standard Paint	0
9944821	0	1 - Color Paint - Sleeper Color will be White if no other color is specified.	0
9965510	S	Base Coat/ Clear Coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	0

Special Requirements

Special Requirement 1 0098025

Special Requirement 2

Special Requirement 3

Special Requirement 4

Order Comments

Price Level: January 1, 2024 Deal: T880 Haul Tractor

Printed On: 8/28/2023 9:45:59 AM



Total Weight

19,061

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in CRM.


PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information

Price Level: January 1, 2024 Deal: T880 Haul Tractor

Printed On: 8/28/2023 9:45:59 AM

HORIZONTAL DIMENSIONS



Dimension	Measurement	Start	End
Axle Spacing	54	188	242
Bumper to Back of Cab	152.5	-48.5	104
Bumper to Front Axle	48.5	-48.5	0
Bumper to Front Frame	12.9	-48.5	-35.6
Cab to End of Frame	202.0	74	276
Cab to Rear Axle	141.0	74	215
Effective Bumper to Back Of Cab	182.6	-48.5	134.12
Frame Length	311.6	-35.6	276
Front Axle to Back of Cab	74.0	0	74
Front of Frame to Axle	35.6	-35.6	0
Load Space	202.0	104	276
Overall Length	324.5	-48.5	276
Overhang	61.0	215	276
Pusher Offset #1	27.0	188	215
Pusher Offset #2	27.0	188	215
Pusher Offset #3	27.0	188	215
Tag Offset	27.0	215	242
Wheelbase	215	0	215

VEHICLE WEIGHT RATING

FRONT AXLE COMPO	Manual Property	经国际企业中国 医二氯甲基二氯甲基	TO THE
Component	Sales Code	Description	Ratings
Axle	2516006	Meritor MFS20 20K 3.74in. Drop Wide Track.	20,000
Springs	2866020	Front Springs: Taperleaf 20K W/ Shock Absorbers	20,000
Power Steering	2895302	Dual Power Steering Geer: 16-22K Sheppard HD94.	22,000
Hubs, Drums	2702020	Front Hubs Iron Hub Pilot 20,000 lbs. 10 Bolt	20,000
Brakes	2607015	Front Brakes: 14,601-22K Bendix RSD ADB22X Disc	22,000
Tires	4080185	Front Tires: Apollo Endutrax 315/80R22.5 20PR	20,400
Wheels	5045268	Front Wheel: Alcoa 89U63 22.5X9 AL	20,000

Requested Front (Lbs): 20,000

Minimum: 8,000 Maximum: 20,000

The front axle weight rating cannot exceed 20000

REAR AXLE COMPON	REAR AXLE COMPONENTS				
Component	Sales Code	Description	Ratings		
Axle	3144183	Dual Dana Spicer D46-172HP Rear Axle rated at	46,000		
Hubs, Drums	3407050	Dual Rear Hubs: Aluminum Hub Pilot 46K;	46,000		
Service Brakes	3304012	Dual Rear Brake: Bendix RSD 16.5X7 46K	46,000		
Spring Brakes	3485207	Spring Brake: 3030 Long Stroke Dual 30 Square	52,000		
Suspension	3740130	Rear suspension: Tandem Kenworth Airglide 460 46K	46,000		
Tires	4217226	Rear tires: Michelin XMultiEnergyD 11R24.5 16PR	52,880		
Wheels	5242310	Rear Wheel: Accuride 28827 24.5x8.25 steel	64,000		

Requested Rear (Lbs): 46,000

Minimum: 16,000


Maximum: 46,000

The rear axle weight rating cannot exceed 46000

GROSS COMBINATION WEIGHT RATING	
GCWR (lbs)	110,000
Min	66,001
Max	999,000

The Gross Combination Weight Rating cannot exceed 999000

FRAME LAYOUT



Neste: Optional contant may be displayed. The order has not yet received an engineering review. The actual arrangement of components may not be exactly as pictured.

Additional changes may be made to the layout by Kerworth. Add a Custom Frame Layout code if an exact layout is required.

Selected Options (Wheelbase: 215)

Sales Code	Description	Length	Side
7214152	Split Tank: 150 US Gallon 24.5 in. Aluminum BOC	74.5	Right
7216120	Fuel Tank: 120 US Gallon 24.5 in, Aluminum BOC	60.5	Left
7722154	Medium Round DEF Tank, 23.8 Gallons.	16.1	Left
6417009	Frame Access Steps: 2 for Fuel/Hydraulic Tank	38.5	Right
6418008	Frame Access Steps: 2 for Fuel/Hydraulic Tank	70	Left
6405048	Battery Box Module: Short Length Aluminum	34.6	Left

SPEED & GRADE PERFORMANCE REPORTS

Crules Report (Engine Fan Off)

Configuration: T880 Series Conventional / TRACTOR GCW: 110000

Quote/DTPO/CO: QUO-973868-85L3Y1

 Engine:
 0130356 Cummins X15 S05EV 505@1800 1850@1000, 2024

 Transmission:
 2016630 Transmission: Allison 4500EVS 6-apeed, With PTO

 Rear Axle:
 3144183 Dual Dana Spicer D46-172HP Rear Axle rated at

 Rear Tire:
 4217226 Rear tires: Michelin XMultiEnergyD 11R24.5 16PR | : 476

Operating Conditions: 0% Rolling Resistance

Startability
Transmission Ratio Maximum Starting Grade
4.7 19.27

9.06

2.21

Geer Ratios: TRN (1): 4.7 RAX (1): 4.1

Speed (MPH): 4.6 5.2 5.9 6.5 7.2 7.5 7.8 8.5 9.2 9.8 10.5 11.1 11.8 12.4 13.1 Grade (%): 8.4 10.3 14.4 16.3 16.3 16.3 16.4 16.4 16.4 15.8 14.8 13.9 13.0 12.1 10.5

Gear Ratios: TRN (2): 2.21 RAX (1): 4.1

Speed (MPH): 9.7 11.1 12.5 13.9 15.3 16.0 16.7 18.1 19.5 20.9 22.3 23.6 25.0 26.4 27.8 Grade (%): 3.5 4.4 6.3 7.2 7.2 7.2 7.2 7.2 7.2 7.2 6.9 6.4 6.0 5.6 5.2 4.4

Gear Ratios: TRN (3): 1.53 RAX (1): 4.1

Speed (MPH): 14.1 16.1 18.1 20.1 22.1 23.1 24.1 26.1 28.1 30.1 32.2 34.2 36.2 38.2 40.2 Grade (%): 2.2 2.8 4.1 4.7 4.7 4.7 4.7 4.7 4.7 4.5 4.1 3.8 3.5 3.2 2.7

Geer Ratios: TRN (4): 1 RAX (1): 4.1

Speed (MPH): 21.5 24.6 27.7 30.7 33.8 35.4 36.9 40.0 43.0 46.1 49.2 52.3 55.3 58.4 61.5 Grade (%): 1.1 1.5 2.3 2.7 2.7 2.7 2.6 2.6 2.6 2.4 2.1 1.9 1.7 1.4 1.0

Gear Ratios: TRN (5): 0.76 RAX (1): 4.1

Speed (MPH): 28.3 32.4 36.4 40.5 44.5 46.5 48.5 52.6 56.6 60.7 64.7 68.8 72.8 76.9 80.9 Grade (%): 0.6 0.9 1.5 1.7 1.7 1.6 1.6 1.5 1.5 1.5 1.3 1.0 0.8 0.6 0.3 0.0

Gear Ratios: TRN (6): 0.67 RAX (1): 4.1

 Speed (MPH):
 32.1
 36.7
 41.3
 45.9
 50.5
 52.8
 55.1
 59.7
 64.2
 68.8
 73.4
 78.0
 82.6
 87.2
 91.8

 Grade (%):
 0.4
 0.6
 1.1
 1.3
 1.2
 1.2
 1.1
 1.0
 0.8
 0.5
 0.3
 0.0
 -0.2
 -0.6

Engine RPM: **700 800 900 1000 1100 1150 1200 1300 1400 1500 1600 1700 1800 1900 2000**Gross Torque: 1020 1220 1650 1850 1850 1850 1850 1850 1850 1793 1681 1502 1494 1393 1230

Net Torque: 910 1101 1505 1694 1696 1697 1698 1700 1701 1650 1547 1455 1374 1281 1130

Natl HP: 121 168 258 322 355 372 388 421 454 471 471 471 471 471 464 430



HOUSTON HEAVY DUTY TRUCK

& TRAILER

10111 EAST FREEWAY

HOUSTON, TX 77029

Main - (281) 317-3240 Service - Fax -

BODYPAINTPARTS

2000

Unknown

Acct #

V.I.N

Year

Make

Model Owner

55555

RELATED BRANCH SALE

1263 US HIGHWAY 59 NORTH

PAINT

Date In Service

12/31/99

CLEVELAND (713) 844-7111

Bill-To

77328

(281) 317-3253

Mileage

0

Engine Model #

Date Out

8/3/23

Trans Model Trans Model #

Engine Model

FRO16210C

NEW KW INVENTORY

Terms

AFFIL

1146

Customer Unit # Writer Reviewer

SAFFIL

65349 **Customer PO#**

Drew V

CUSTOMER REQUEST

Billing Type

Estimate

E501001382:01

E501001382

Date

Date In 8/3/23

Unit ID#

Job#1 repair Condition

Full walk on fenders 3/16" plate.

Two drives and pusher with full lenght tailboard, trailer plug, , tail, stop-turn, & back up lights. lights, trailer air/electric rear center.

Engine Hrs

0

Hydraulic/fuel tank combo, right side.

Cause Correction

Qty Item	Description	BinId1	Price	Extended
	LABOR TO PERFORM REPAIRS			
1	TERMINAL8 GA BUTT	NOLOC		
23	CONNECTOR-12-10 GA YLLW STRIPE	DIS20		
1	PERMATEX ULTRA BOND SUPER GLUE	DIS99		
1	3M HGHLND VINYL ELEC TAPE 10PK	DIS16		
1	25 NYLON CABLE TIES-BLACK UV 2	PB06		
1	PK2 INSTA AIR BRAKE MALE CON38	BC01		
1.	WIRE-GPT 14GA.100FT -WHITE	SB41		
1	PK2 DOT UNION TEE 12 OD X 12 O	NOLOC		
2	PK2 45 ELBOW 12 X 12	BC01		
2	SINGLE 15 RUBBER TARP TIE	NOLOC		
1	PK6 STRAIGHT DOT UNION 380D X3	BC01		
6	LED GLOLIGHT MARK LIGHT2RED	DIS01		
2	PK20 HHCS 12X2-12 GR8 USS PLTD	BC03		
1	FT50 38 POLYETH SPLIT LOOM BX	BC05		
50	FT50 38 POLYETH SPLIT LOOM BX	BC05		
3	PK50 GRD 8 LOCKWASHERS 58 PLTD	BC02		
20	PFT TYPE B AIR BRK TUBING 12 5	BC05		
2	PK75 GRD 8 LOCKWASHERS 12 PLTD	BC02		
56	RL1 PFT TYPE B AB TUBING 38 FT	BC05		
4	PK75 FLAT WSHR 12 109 DIN 125A	BC02		
2	PK50 HEX NUTS 12-13 GR 8 ZYD	BC02		
6	GROMMET RING2FLUSH	DIS01		
6	PIGTAIL2WIRE STRAIGHT6LEAD	DIS01		
50	TIE-CABLE 50LB 15.5" BLK	DIS20		
1	INLINE QUICK RELEASE VALVE	NOLOC		
1	HARNESS-48" STRAIGHT W/SO	NOLOC		
50	CABLE-LECTRAFLEX	SB43		

RELATED BRANCH SALE

Job#1 repair continued


E501001382 continued

Qty Item	Description		Price	Extended
1	RECEPTACLE-MCPI.5MM F U.5-1.UM	SB03		
2	PK2 COMP 12TX38PT DOT PUSH-M E	BC01		
4	PK30 GR 8 NYLON LOCK NUT 38 US	BC02		
8	FT50 38 POLYETH SPLIT LOOM BX	BC05		
1	GLADHAND-EMERGENCY ALUM	OIS20		
1	GLADHAND-SERVICE ALUM	DIS20		
30	PFT TYPE B AIR BRK TUBING 12 5	BC05		
4	PK50 HHCS 38X1-12 GR8 UNC PLT	BC03		
4	PK35 GR 8 NYLON LOCK NUT 516 U	BC02		
4	PK100 HHCS 516 X 1 GR8 USS PLT	BC02		
8	PK150 GR8 FLATWSHRS 38 USS PLT	BC02		
1	PK75 HHCS 38 X 1 GRD 8 USS PLT	BC02		
2	PK100 FLAT WSHRS 10 109 DIN125	BC02		
8	PK200 GR8 FLATWASHERS 516 USS	BC02		
1	SUBLET TO G&W SERVICES			
1	SHIPPING & HANDLING			
1	misc fittings			
Total Labor	Total Parts	Total		

RELATED BRANCH SALE

Job#2 repair continued


E501001382 continued



LABOR TO PERFORM REPAIRS	Qty Item	Description	BinId1	Price	Extended
1 M JIC X 1 MNPT 45 ELBOW		LABOR TO PERFORM REPAIRS			
Hydraulic Pump, 3000 Max RPM	1	PTO	NOLOC		
FILID TRANSMISSION SYNT GALLON MOLOC	4	1 M JIC X 1 MNPT 45 ELBOW	HOSE		
FLUID TRANSMISSION SYNT GALLON	1	Hydraulic Pump, 3000 Max RPM	SB32		
1 14 MALE NPTF PLUG HOSE 6 1 MJIC X 1 MNPT HOSE 1 MJIC X 1 MNPT HOSE 1 FILTER ASY 10 MICR 25 PSI BYP SB24 1 VALVEINLINE RELIEFIIN NPT30 GP NOLOC 3/8 600 BALL VALVE NOLOC 2 1 IN MPPT X 1 MNPT UNION HOSE 1 1/2 BALL VALVE NOLOC 2 1 MJIC X 1 MNPT HOSE 1 1/2 BALL VALVE NOLOC 2 1 MJIC X 1 MNPT HOSE 3 AIR BRAKE TEE NOLOC 2 1 1/2 MNPT X 1 IN FNPT BUSHING NOLOC 3 PK2 COMPLIZIXIZET DOT PUSH-IN M BC01 6 PK2 COMPLIZIXIZET DOT PUSH-IN M BC01 7 PK5 CLOSE NIPPLE 12 BC01 7 PK5 CLOSE NIPPLE 12 BC01 7 PK5 CLOSE NIPPLE 12 BC01 7 PK5 COUPLING FEM PIPE-FEM PIPE NOLOC 1 1-5-16 MALE JIC X 1-12 MALE NPT HOSE 1 1/2 MNPT X 1 1/2 MJIC HOSE 1 1/2 MNPT X 1 1/2 MJIC HOSE 1 1/2 MNPT X 1 1/2 MJIC HOSE 1 COUPLING HOSE 1 1/2 MNPT X 1 1/2 MNPT UNION HOSE 1 COUPLING HOSE 1 1/2 FNPT X 1 1/2 FNPT ELBOW HOSE 1 1/2 FNPT X 1 1/2 FNPT ELBOW HOSE 1 1/2 FNPT X 1 1/2 FNPT ELBOW HOSE 1 1/2 FNPT X 1 1/2 FNPT ELBOW NOLOC 1 1/2 BALL VALVE NOLOC 1 1/2 BALL VALVE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1 INCH QUICK COUPLER FE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1 INCH QUICK COUPLER MALE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1 NCH QUICK COUPLER MALE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1 NCH QUICK COUPLER MALE NOLOC 1 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1 NCH QUICK COUPLER FE NOLOC 1 1 SHIPPING & HANDLING 1 SHIPPING & HANDLING 1 SHIPPING & HANDLING	1		NOLOC		
1 MJIC X 1 MNPT	2	1 1/4 MNPT X 1 MJIC	HOSE		
FILTER ASSY 10 MICR 25 PSI BYP SB24	1	1 14 MALE NPTF PLUG	HOSE		
FILTER ASSY 10 MICR 25 PSI BYP	6	1 MJIC X 1 MNPT	HOSE		
VALVEINLINE RELIEFIIN NPT30 GP	1	FILTER ASSY 10 MICR 25 PSI BYP			
1	1		NOLOC		
1 IN MNPT X 1 MNPT UNION HOSE 1 1/2 BALL VALVE 1 NOLOC 1 MJIC X 1 MNPT HOSE AIR BRAKE TEE NOLOC 2 11/2 MNPT X 1 IN FNPT BUSHING NOLOC PK2 COMP12TX12PT DOT PUSH-IN M BC01 BC1 PK5 CLOSE NIPPLE 12 BC01 BC1 PK5 CLOSE NIPPLE 12 BC01 BC1 PK5 COUPLING FEM PIPE-FEM PIPE NOLOC 1 -516 MALE JIC X 1-12 MALE NPT HOSE BEL RAY PREMIUM TRACTOR HYD DIS30 1 1/2 MNPT X 1 1/2 M JIC HOSE 1 1/2 MNPT X 1 1/2 MNPT UNION HOSE COUPLING HOSE BRASS BALL VALVE HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 FNPT X 1 1/2 FNPT ELBOW NOLOC 1 1/2 BALL VALVE NOLOC 1 1/2 MNPT PIPE PLUG HOSE 1 1/2 MNPT PIPE PLUG NOLOC 1 1/2 MNPT PIPE PLUG HOSE 1 1/2 MNPT PIPE PLUG HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT PIPE PLUG NOLOC 1 1/2 MNPT PIPE PLUG HOSE 1 1/2 MNPT PIPE PLUG HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT PIPE PLUG HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 SHIPPING 4 HANDLING 1 SHIPPING 4 HANDLING	1	3/8 600 BALL VALVE			
1	2	1 IN MNPT X 1 MNPT UNION			
1 MJIC X 1 MNPT HOSE AIR BRAKE TEE NOLOC 1 1/2 MNPT X 1 IN FNPT BUSHING NOLOC 2 PRZ COMP12TX12PT DOT PUSH-IN M BC01 3 PK5 CLOSE NIPPLE 12 BC01 3 PK5 COUPLING FEM PIPE-FEM PIPE NOLOC 1 1-516 MALE JIC X 1-12 MALE NPT HOSE 10 BEL RAY PREMIUM TRACTOR HYD DIS30 1 1 1/2 MNPT X 1 1/2 MJIC HOSE 1 1 1/2 MNPT X 1 1/2 MJIC HOSE 1 COUPLING HOSE 1 1 1/2 MNPT X 1 1/2 MNPT UNION HOSE 1 BRASS BALL VALVE HOSE 1 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1 1/2 FNPT X 1 1/2 FNPT ELBOW NOLOC 2 1/2 BALL VALVE NOLOC 1 1 1/2 MNPT PIPE PLUG NOLOC 3 1 INCH QUICK COUPLER FE NOLOC 1 INCH QUICK COUPLER FE NOLOC 1 INCH QUICK COUPLER FE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER IIN NPT NOLOC 43-M-R-NPTF-STRPSYB25 HOSE 58 18752 AC 3000PSI Global P125NB HOSE 1 MSLPPING & HANDLING 5 SHIPPING & HANDLING 5 SHIPPING & HANDLING	1	1/2 BALL VALVE			
AIR BRAKE TEE NOLOC 1 1/2 MNPT X 1 IN FNPT BUSHING NOLOC PK2 COMP12TX12PT DOT PUSH-IN M BC01 RK5 CLOSE NIPPLE 12 BC01 RK5 COUPLING FEM PIPE-FEM PIPE NOLOC 1 1-516 MALE JIC X 1-12 MALE NPT HOSE BEL RAY PREMIUM TRACTOR HYD DIS30 1 1/2 MNPT X 1 1/2 M JIC HOSE 1 1/2 MNPT X 1 1/2 M JIC HOSE 1 COUPLING HOSE 1 COUPLING HOSE 1 1/2 MNPT X 1 1/2 MNPT UNION HOSE 1 COUPLING HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 FNPT X 1 1/2 FNPT ELBOW NOLOC 2 1/2 BALL VALVE NOLOC 1 1/2 MNPT PIPE PLUG NOLOC 3 1 INCH QUICK COUPLER FE NOLOC 3 1 INCH QUICK COUPLER MALE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 43-M-R-NPTF-STRPSYB25 HOSE 58 18752 AC 3000PSI Global P125NB HOSE 1 COMPUTER FEE METAL SHIPPING & HOSE 1 METAL SHIPPING & HANDLING 5 SHIPPING & HANDLING	2	1 MJIC X 1 MNPT			
1 1/2 MNPT X 1 IN FNPT BUSHING PK2 COMP12TX12PT DOT PUSH-IN M BC01 PK5 CLOSE NIPPLE 12 BC01 PK5 COUPLING FEM PIPE-FEM PIPE NOLOC 1 1-516 MALE JIC X 1-12 MALE NPT HOSE BEL RAY PREMIUM TRACTOR HYD DIS30 1 1/2 MNPT X 1 1/2 MJC HOSE 1 1/2 MNPT X 1 1/2 MNPT UNION HOSE COUPLING BRASS BALL VALVE BRASS BALL VALVE HOSE 1 1/2 FNPT X 1 1/2 FNPT ELBOW NOLOC 1 1/2 BALL VALVE NOLOC 1 1/2 BALL VALVE NOLOC 1 1/2 MNPT X 1 1/2 FNPT ELBOW NOLOC 1 1/2 MNPT PIPE PLUG NOLOC 1 1/2 MNPT PIPE PLUG NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 9 43-M-R-NPTF-STRPSYB25 HOSE 1 18752 AC 3000PSI Global P125NB HOSE 1 COMPUTER FEE Metal for brackets 1 SHIPPING & HANDLING	2				
PK2 COMP12TX12PT DOT PUSH-IN M BC01	2				
PK5 CLOSE NIPPLE 12 BC01	2				
PK5 COUPLING FEM PIPE	3				
1 1-516 MALE JIC X 1-12 MALE NPT HOSE 10 BEL RAY PREMIUM TRACTOR HYD DIS30 1 1/2 MNPT X 1 1/2 M JIC HOSE 1 1/2 MNPT X 1 1/2 MNPT UNION HOSE 1 1/2 MNPT X 1 1/2 MNPT UNION HOSE 1 COUPLING HOSE 1 BRASS BALL VALVE HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 FNPT X 1 1/12 FNPT ELBOW NOLOC 1/2 BALL VALVE NOLOC 1/2 BALL VALVE NOLOC 1 1/2 MNPT PIPE PLUG NOLOC 3 1 INCH QUICK COUPLER FE NOLOC 3 1 INCH QUICK COUPLER MALE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 9 43-M-R-NPIF-STRP5YB25 HOSE 5 43-F-S-JIC 37-STRP5YB20 HOSE 1 COMPUTER FEE METAL HOSE 1 COMPUTER FEE HOSE 1 METAL FOR MALE HOSE 1 SHIPPING & HANDLING					
DEL RAY PREMIUM TRACTOR HYD DIS30					
1 1/2 MNPT X 1 1/2 M JIC HOSE 1 1 1/2 MNPT X 1 1/2 MNPT UNION HOSE 1 COUPLING HOSE 1 COUPLING HOSE 1 BRASS BALL VALVE HOSE 1 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1 1/2 FNPT X 1 1/12 FNPT ELBOW NOLOC 2 1/2 BALL VALVE NOLOC 1 1/2 MRPT PIPE PLUG NOLOC 3 1 INCH QUICK COUPLER FE NOLOC 3 1 INCH QUICK COUPLER MALE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 9 43-M-R-NPTF-STRP5YB25 HOSE 5 43-F-S-JIC 37-STRP5YB20 HOSE 1 COMPUTER FEE MOLOC 1 SHIPPING & HANDLING 1 SHIPPING & HANDLING	10				
1 1/2 MMPT X 1 1/2 MNPT UNION HOSE 1 COUPLING HOSE 1 BRASS BALL VALVE HOSE 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 FNPT X 1 1/2 FNPT ELBOW NOLOC 2 1/2 BALL VALVE NOLOC 1 1/2 MNPT PIPE PLUG NOLOC 3 1 INCH QUICK COUPLER FE NOLOC 3 1 INCH QUICK COUPLER MALE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER IIN NPT NOLOC 9 43-M-R-NPTF-STRP5YB25 HOSE 5 43-F-S-JIC 37-STRP5YB20 HOSE 1 COMPUTER FEE 1 Metal for brackets 1 SHIPPING & HANDLING					
1 COUPLING HOSE 1 BRASS BALL VALVE HOSE 1 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1 1/2 FNPT X 1 1/2 FNPT ELBOW NOLOC 2 1/2 BALL VALVE NOLOC 1 1 1/2 MNPT PIPE PLUG NOLOC 3 1 INCH QUICK COUPLER FE NOLOC 3 1 INCH QUICK COUPLER MALE NOLOC 1 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 9 43-M-R-NPTF-STRPSYB25 HOSE 5 43-F-S-JIC 37-STRPSYB20 HOSE 1 COMPUTER FEE Metal for brackets 1 SHIPPING & HANDLING 1 SHIPPING & HANDLING					
BRASS BALL VALVE 1 1/2 MNPT X 1 1/12 MNPT ELBOW 1 1/2 FNPT X 1 1/2 FNPT ELBOW NOLOC 1 1/2 BALL VALVE NOLOC 1 1/2 MNPT PIPE PLUG NOLOC 1 1 1/2 MNPT PIPE PLUG NOLOC 1 INCH QUICK COUPLER FE NOLOC 1 INCH QUICK COUPLER MALE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 9 43-M-R-NPTF-STRP5YB25 HOSE 5 43-F-S-JIC 37-STRP5YB20 HOSE 1 COMPUTER FEE Metal for brackets 1 SHIPPING & HANDLING 1 SHIPPING & HANDLING					
1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 1/2 FNPT X 1 1/2 FNPT ELBOW NOLOC 2 1/2 BALL VALVE NOLOC 1 1/2 MNPT PIPE PLUG NOLOC 3 1 INCH QUICK COUPLER FE NOLOC 3 1 INCH QUICK COUPLER MALE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 9 43-M-R-NPTF-STRP5YB25 HOSE 5 43-F-S-JIC 37-STRP5YB20 HOSE 1 COMPUTER FEE 1 Metal for brackets 1 SHIPPING & HANDLING					
1 1/2 FNPT X 1 1/2 FNPT ELBOW NOLOC 1 1/2 BALL VALVE NOLOC 1 1 1/2 MNPT PIPE PLUG NOLOC 3 1 INCH QUICK COUPLER FE NOLOC 1 1NCH QUICK COUPLER MALE NOLOC 1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 9 43-M-R-NPTF-STRP5YB25 HOSE 5 43-F-S-JIC 37-STRP5YB20 HOSE 1 8752 AC 3000PSI Global P125NB HOSE 1 COMPUTER FEE Metal for brackets SHIPPING & HANDLING 1 SHIPPING & HANDLING					
1/2 BALL VALVE	=				
1 1/2 MNPT PIPE PLUG NOLOC 1 INCH QUICK COUPLER FE NOLOC 1 INCH QUICK COUPLER MALE NOLOC 1 1/2 MNPT x 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 43-M-R-NPTF-STRP5YB25 HOSE 5 43-F-S-JIC 37-STRP5YB20 HOSE 1 8752 AC 3000PSI Global P125NB HOSE 1 COMPUTER FEE Metal for brackets 1 SHIPPING & HANDLING 5 SHIPPING & HANDLING					
1 INCH QUICK COUPLER FE NOLOC 1 INCH QUICK COUPLER MALE NOLOC 1 1/2 MNPT x 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 9 43-M-R-NPTF-STRP5YB25 HOSE 5 43-F-S-JIC 37-STRP5YB20 HOSE 1 COMPUTER FEE NOSE 1 STATE OF A COMPUTER FEE 1 Metal for brackets 1 SHIPPING & HANDLING 1 SHIPPING & HANDLING					
1 INCH QUICK COUPLER MALE NOLOC 1 1 1/2 MNPT x 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 9 43-M-R-NPTF-STRP5YB25 HOSE 5 43-F-S-JIC 37-STRP5YB20 HOSE 1 8752 AC 3000PSI Global P125NB HOSE 1 COMPUTER FEE 1 Metal for brackets 1 SHIPPING & HANDLING 1 SHIPPING & HANDLING					
1 1/2 MNPT X 1 1/12 MNPT ELBOW HOSE 1 CAPBREATHER 1IN NPT NOLOC 9 43-M-R-NPTF-STRP5YB25 HOSE 5 43-F-S-JIC 37-STRP5YB20 HOSE 1 8752 AC 3000PSI Global P125NB HOSE 1 COMPUTER FEE 1 Metal for brackets 1 SHIPPING & HANDLING 1 SHIPPING & HANDLING					
CAPBREATHER 1IN NPT NOLOC 43-M-R-NPTF-STRP5YB25 HOSE 43-F-S-JIC 37-STRP5YB20 HOSE 18752 AC 3000PSI Global P125NB HOSE COMPUTER FEE Metal for brackets SHIPPING & HANDLING SHIPPING & HANDLING					
9 43-M-R-NPTF-STRP5YB25 HOSE 5 43-F-S-JIC 37-STRP5YB20 HOSE 58 18752 AC 3000PSI Global P125NB HOSE 1 COMPUTER FEE 1 Metal for brackets 1 SHIPPING & HANDLING 1 SHIPPING & HANDLING	_				
5 43-F-S-JIC 37-STRP5YB20 HOSE 58 18752 AC 3000PSI Global P125NB HOSE 1 COMPUTER FEE 1 Metal for brackets 1 SHIPPING & HANDLING 1 SHIPPING & HANDLING	-				
18752 AC 3000PSI Global P125NB HOSE COMPUTER FEE Metal for brackets SHIPPING & HANDLING SHIPPING & HANDLING					
COMPUTER FEE Metal for brackets SHIPPING & HANDLING SHIPPING & HANDLING					
1 Metal for brackets 1 SHIPPING & HANDLING 1 SHIPPING & HANDLING			HOSE		
1 SHIPPING & HANDLING 1 SHIPPING & HANDLING					
1 SHIPPING & HANDLING					
T					
Total Labor Total Parts Total		SHIPPING & HANDLING			
1 Section 1	Total Labor	Total Parts	Total		

RELATED BRANCH SALE

E501001382 continued





July 18, 2024

Mr. Charles Cavanaugh Texas A&M Forest Service 200 Technology Way, Suite 1151 College Station, TX 77845

Subject: Follow-up to Your Email dated July 12 (See page 2 of this document)

Dear Charles,

Kenworth provides the following clarifications with respect to the vehicles identified in the following table:

	Kenworth VIN	Cummins Engine Serial #
1.	1XKZD40X6SJ138059	80618616
2.	1XKZD40X2SJ138060	80629040
3.	1XKZD40X4SJ138061	80628734
4.	1XKZD40X6SJ138062	80629237

1. Pricing

Vehicle pricing is negotiated between the buyer and selling dealer, Performance Truck. As the vehicle manufacturer, Kenworth Truck Company (Kenworth) is unable to make any representations regarding offers or statements about retail pricing that Performance Truck made to Texas A&M Forest Service. Kenworth confirms that the manufacturer's pricing for Dealer Truck Purchase Order for the above VINs reflects the specifications set forth in IFB-23-021.

2. Emergency Vehicle Provisioning

Kenworth confirms that each truck's engine will be emergency vehicle rated. Cummins has provided the EV vehicle rating and email confirmation on this approval for the above referenced units. (See pages 3 & 4).

3. Warranty

The engine and aftertreatment system are separately warranted by Cummins, the engine manufacturer. It appears Texas A&M Forest Service wishes to confirm a 5-year extended engine warranty. Please contact Cummins to confirm the scope of warranty coverage. Kenworth is unable to advise on warranty options offered by a third-party.

We apologize for the frustration over this issue and we appreciate your patience.

Sincerely,

Tanner Vilsen
Tanner Nilsen

District Sales Manager Kenworth Truck Company



Email from July 12th below for reference:

From: Cavanaugh, Charles < Charles.Cavanaugh@tfs.tamu.edu>

Sent: Friday, July 12, 2024 3:14 PM

To: Andrew Vest avest@performancetruck.com

Subject: IFB-23-021 Re-order Conditions

Howdy Drew,

It sounds like we can now order the Kenworth Model T880 trucks associated with IFB-23-021, emergency provisions included. Texas A&M Forest Service would like to proceed with this procurement if the following provisions are met on Kenworth's end. Please provide a signed letter confirming the following on Kenworth's letterhead:

- 1. Reference specifications on the IFB-23-021 bid packet with same pricing
- 2. Specify emergency vehicle provisioning for each truck
- 3. Specify associated 5-year engine and after treatment warranty
- 4. Include the appropriate VIN numbers
- 5. Include the engine serial numbers

Upon receipt of the letter TFS will provide a purchase order. Please let me know if you have any questions.

Thank you,

Charles Cavanaugh, CTCD, CTCM Buyer 200 Technology Way, Suite 1151 College Station, TX 77845 Phone: 979-458-7383 Fax: 979-458-7386





GHG approval:

This GHG Aftermarket change request is approved.

Request ID	002181						
Requested Date	04/12/2024						
Partner Code	G982						
Partner's Contact	Preston Crabb pcrabb@performancetruck.com (817) 773-1937						
Customer Name	Texas A & M Forest Service						
Service Provider	Performance Truck Houston Preston Crabb pcrabb@performancetruck.com (817)773-1937						
Vehicle Manufacturer	K - KENWORTH						
Request	Change rating (HP, torque, RPM)						
Reason for Change	Need to change to emergency vehicle. Dealer code should be G982. I used to be under Victoria C374 but recently moved to Houston dealer code G982. Andy Manos and Brian Pasko are working this case. Please let me know if you need anything else.						
Status	Request Approved						
List of VINs	VIN	1XKZD40X6SJ138059	1XKZD40X2SJ138060	1XKZD40X4SJ138061	1XKZD40X6SJ138062		
	ESN	80618616	80629040	80628734	80629237		
	OLD RATING	ENG: CUMMINS X15 565, 2024 565@1900 1850@1000, PERFORMANCE SERIES					
	NEW RATING	ENG: CUMMINS X15 565EV 2024 565@1800 1850@1000 EMERGENCY VEHICLE					

Nastassya West

Greenhouse Gas Compliance Kenworth Truck Company



From: Jamie L Snapp

Sent: Monday, February 5, 2024 11:15 AM

To: Alan Gillis <a dillis@performancetruck.com>; Tanner Nilsen < Tanner.Nilsen@PACCAR.com>

Cc: Tyler McFerren < Tyler.McFerren@PACCAR.com>; Shannon Hang < Shannon.Hang@PACCAR.com>; Andrew Vest < avest@performancetruck.com>; Brian Pasko < Brian.Pasko@PACCAR.com>; KWD Sales Coordinator Central

< KWD.SalesCrdntrCntrl@PACCAR.com>

Subject: RE: URGENT: Texas A & M Forest Service Chassis 138059 and 138060-062

Alan.

Cummins does not have an issue and we approve the engine rating as long as it meets the criteria standard for NFPA 1906 list below.

Emergency Vehicles:

All Emergency Vehicle applications, as defined in:

NFPA 414, Standard for Standard for Aircraft Rescue and Fire-Fighting Vehicles;

NFPA 1901, Standard for Automotive Fire Apparatus:

NFPA 1906, Standard for Wildland Fire Apparatus; and

NFPA 1917, Standard for Automotive Ambulance

Each must use the correct product identifier (FRTK) and corresponding customer interface software (DO option). This software does not allow use of the engine shutdown and Aftertreatment Protection System (APS) electronic feature. The engine protection feature can be active. In a very basic sense, these are vehicles that are permitted by law to call for the right of way while responding to an incident affecting the public safety and to block the public road while at the scene of such an incident. Includes, but is not limited to fire department, airport and emergency medical services (EMS) operated vehicles employed to respond to fires, hazardous material releases, rescue, EMS and other emergency-type situations.

Please let me know if you have any questions.

Regards

Jamie L Snapp

Account Executive - On Highway Business

Southeast Texas

346-254-8286

jamie.l.snapp@cummins.com

Cummins Inc.

7045 N. Loop 610 East

(/qs3/pubsys2/xml/en/manual/4021290/4021290-titlepage.html)

This warranty applies to new diesel engines that are used in fire apparatus truck and crash truck* applications Worldwide.

*Airport operated crash trucks and fire department operated trucks employed to respond to fires, hazardous material releases, rescue and other emergency-type situations.

Coverage Effective Date*	Coverage End Date	Legal Description
April 1, 2007	Still Active	3381161 (/qs3/pubsys2/xml/en/warrant y/3381161.html)

^{*}This coverage applies to engines with a warranty start date on or after this date.

Coverage

The warranty start date is the date of delivery of the Engine to the first user. There is no demonstration period on fire trucks.

BASE ENGINE WARRANTY

Coverage*	What is Covered?	
5 years, 100,000 miles, or 160,935 kilometers	Base Engine Labor Travel/Towing Other Claimables	

*Whichever occurs first, after the warranty start date.

Claims filed after 08-Dec-2020, regardless of failure date, will no longer have a \$100 deductible.

Claims filed to recover a deductible for non-Emissions claims filed prior to 08-Dec-2020 will not be accepted.

Limitations

- During Base Engine Warranty, travel or towing is covered when the vehicle is disabled as a
 result of a warrantable failure.
- Failures of belt and hoses supplied by Cummins are covered for the first year of the warranty or the duration of the warranty coverage, whichever occurs first.
- Failures resulting in excessive oil consumption are covered for the duration of the coverage, 100,000 miles (160,935 kilometers) or 7,000 hours, whichever occurs first.
- Alternators and starters are covered for the first 2 years from the date of delivery of the
 engine to the first user, or the expiration of the Base Engine Warranty, whichever occurs first.
- Unauthorized modifications to the aftertreatment could negatively affect emissions certification and void warranty.

Last Modified: 08-Dec-2020

ATTACHMENT A TEXAS A&M FOREST SERVICE PURCHASE ORDER TERMS AND CONDITIONS

REQUIREMENTS OF AWARDED BID

Vendor must comply with all rules, regulations and statutes relating to purchasing in the State of Texas in addition to the requirements of this form.

Vendor must have price per unit shown. Unit prices shall

12 govern in the event of extension errors.

Awarded bid was submitted to the Texas A&M Forest

- 1.3 Service (TFS) on or before the hour and date specified for the bid opening.
- Late and/or unsigned bids were not considered under any circumstances. Person signing bid must have the circumstances. Person signing bid must have the authority to bind the firm in a contract. Awarded bid quoted F.O.B. destination, freight prepaid

1.5

- and allowed unless otherwise stated within the order. Bid prices are to be firm for TFS acceptance for 60 days 16 from opening date. Cash discounts offered will be taken if eamed.
- Bid cannot be altered or amended after opening time. Any alterations made before opening time should be initialed by bidder or his authorized agent. No bid can be withdrawn after opening time without approval by TFS Purchasing Office based on a written acceptable reason.

Purchases made for TFS are exempt from the State Sales tax and Federal Excise tax. Do not include tax in quotation. Excise Tax Exemption Certificate will be furnished by TFS upon request.

TFS reserves the right to accept or reject all or any part of any bid, waive minor technicalities and award the bid to best serve the interests of the TFS.

Late, illegible, incomplete, or otherwise non-responsive bids will not be considered. 1 10

SPECIFICATIONS

- Vendor shall furnish items as specified by model or catalogue numbers, brand names or manufacture referenced on the purchase order.
- Unless otherwise specified, items shall be new and unused and of current production.
- All electrical items must meet all applicable OSHA standards and regulations, and bear the appropriate listing from UL, FMRC or NEMA.
- TFS will not be bound by any oral statement or 24 representation contrary to the written specifications of this nurchase order
- Manufacturer's standard warranty shall apply unless otherwise stated in the IFB.

Awards will be made in accordance with TAC Rule 20.36 (b) (3) and 20.38 (preferences).

- DELIVERY
 Delivery shall be within the quoted number of days
 required to place material in receiving agency's
 designated location under normal conditions. Delivery days mean calendar days, unless otherwise specified. Failure to state delivery time obligates bidder to deliver in 14 calendar days. Unrealistic delivery promises may cause bid to be disregarded.
- If delay is foreseen, vendor shall give written notice to TFS. Vendor must keep TFS advised at all times of order status. Default of promised delivery (without accepted reasons) or failure to meet specifications authorizes TFS to purchase supplies elsewhere and charge full increase, if any, in cost and handling to defaulting vendor.

No substitutions permitted without TFS written approval. Delivery shall be made during normal working hours only,

unless prior approval has been obtained from TFS.
Each shipment must be accompanied by a packing slip Each shipment must be accompanied by a packing slip which shows the TFS Purchase Order number and the description, quantity shipped and any back-ordered quantity for each item shipped. Each package must be clearly marked with the destination address and TFS Purchase Order number.

INSPECTION AND TESTS
All goods will be subject to inspection and test by TFS.
Authorized TFS personnel shall have access to any supplier's place of business for the purpose of inspecting merchandise. Tests shall be performed on samples submitted with the bid or on samples taken from regular shipment. All costs shall be borne by the vendor in the event products tested fail to meat or expend all conditions. event products tested fail to meet or exceed all conditions and requirements of the specification. Goods delivered and rejected in whole or in part may, at the TFS' option, will be returned to the vendor or held for disposition at vendor's expense. Latent defects may result in revocation

of acceptance.

AWARD OF CONTRACT AND FORCE MAJURE
A response to this IFB is an offer to contract based upon

the terms, conditions and specifications contained herein. Bids do not become contracts until they are accepted through a TFS purchase order. The contract shall be governed, construed and interpreted under the laws of the State of Texas, and as same may be amended. Any legal actions must be filed in Brazos County, Texas. The TFS may grant relief from performance of the contract if the vendor is prevented from compliance and performance by the act of war, order of legal authority, act of God, or other unavoidable causes not attributed to the fault or negligence of the contractor. To obtain release on Force Majure, the vendor must file a written request to the TFS.

Vendor shall submit one (1) copy of an itemized invoice referencing TFS Purchase Order number. TFS will incur no penalty for late payment if made in 30 or fewer days from receipt of goods or services and an uncontested invoice. TFS will not be liable for payment of invoices received six (6) or more months after receipt of

PATENTS OR COPYRIGHTS

Vendor agrees to protect the TFS from claims involving infringement of patents or copyrights.

VENDOR ASSIGNMENTS

Vendor hereby assigns to TFS any and all claims for overcharges associated with this contract arising under the antitrust laws of the United States 15 U.S.C.A. Section 1. et seq. (1973), and the antitrust laws of the State of Texas, TEX. Bus. & Comm. Code Ann. Sec. 15.01, et seq. (1967). Inquiries pertaining to quotation must give the quotation number and opening date.

Signing a bid with a false statement is a material breach of contract and shall void the submitted bid or any resulting contracts, and the bidder shall be removed from all bid By signature hereon affixed, the bidder hereby certifies that:

The bidder has not given, offered to give, nor intends to give at any time hereafter any economic opportunity, future employment, gift, loan, gratuity, special discount, trip, favor, or service to a public servant in connection with the submitted quotation.

The bidder is not currently delinquent in the payment of any franchise tax owed the State of Texas.

Neither the bidder nor the firm, corporation, partnership or institution represented by the bidder, or anyone acting for such firm, corporation or institution has violated the antitrust laws of this State, or the Federal Antitrust Laws, (see Section 9 above) nor communicated directly or indirectly the bid made to any competitor or any other person engaged in such line of business.

Pursuant to Section 2155.004(a) Government Code the

bidder has not received compensation for participation in the preparation of the specification for this IFB.

Pursuant to Section 231.006 (d), Family Code, re: child support, the bidder certifies that the individual or business support, the bloder certains that the involved of behalf entity named in this bid is not ineligible to receive the specified payment and acknowledges that this contract may be terminated and payment may be withheld if this

certification is inaccurate. Pursuant to Section 2155.004(b) Government Code the 10.6 bidder certifies that the individual or business entity name in this bid is not ineligible to receive the specified payment and acknowledges that this contract may be terminated and/or payment withheld if this certification is inaccurate.

The Contractor shall defend, indemnify, and hold harmless the State of Texas, all of its officers, agents and naminess the State of Texas, all of its officers, significant employees from and against all claims, actions, suits, demands, proceedings, costs, damages, and liabilities, arising out of, connected with, or resulting from any acts or omissions of contractor or any agent, employee, subcontractor, or supplier of contractor in the execution of performance of this contract.

Bidder agrees that any payment due under this contract will be applied towards eliminating any debt or delinquency, regardless of when it arises, including but not limited to delinquent taxes and child support that is owed

to the State of Texas.

to the state of lexas.

Bidder certifies that they are in compliance with section 689.003 of the Government Code, relating to contracting with executive head of a State agency. If section 669.003 applies, bidder will complete the following information in order for the bid to be evaluated:

Name of Former Executive: Name of State Agency: Date of Separation from State Agency: Position with Bidder: Date of Employment with Bidder: _

10.10 Bidder agrees to comply with Government Code 2155.4441, pertaining to service contract use of products in the State of Texas

Contractor understands that acceptance of funds under this contract acts as acceptance of the authority of the State Auditor's Office, or any successor agency, to conduct an audit or investigation in connection with those funds. Contractor further agrees to cooperate fully with the State Auditor's Office or its successor in the conduct of the audit or investigation, including providing all records requested. Contractor will ensure that this clause concerning the authority to audit funds received indirectly by subcontractors through Contractor and the requirement to cooperate is included in any subcontract it awards

BUSINESS OWNERSHIP
Pursuant to Section 231.006 (c), Family Code, quotation
must include name and Social Security Number of each
person with at least 25% ownership of the business entity

submitting quotation. Bidders that have pre-registered this information on the TPASS Centralized Master Bidders List have satisfied the requirement. If not pre-registered, attach name & social security number for each person Otherwise information must be provided prior to award.

Any terms and conditions attached to a bid will not be considered. Such terms and conditions may result in disqualification of the bid.

ALTERNATIVE DISPUTE RESOLUTION

The dispute resolution process provided for in Chapter 2260 of the Texas Government Code shall be used, as further described herein, by Texas A&M Forest Service and the Contractor to attempt to resolve any claim for breach of contract made by the contractor:

 (a) A contractor's claim for breach of this contract that the parties cannot resolve in the ordinary course of business shall be submitted to the negotiation process provided in Chapter 2260, subchapter B, of the Texas Government Chapter 2260, subchapter B, of the Faxas Government Code. To initiate the process, the contractor shall submit written notice, as required by subchapter B, to Robby DeWitt, Associate Director for Finance and Administration. Said notice shall specifically state the provisions of Chapter 2260, subchapter B, are being invoked. A copy of the notice shall be given to all other representatives of Texas A&M Forest Service and the contractor otherwise entitled to notice under the parties' contract. Compliance

entitled to notice under the parties contract. Compilative by the contractor with subchapter B is a condition precedent to the filing of a contested case proceeding under Chapter 2260, subchapter C, Texas Gov't Code. (b) The contested case process provided in Chapter 2260, subchapter C, of the Texas Government Code is the contractor's sole and exclusive process for seeking a remedy for any and all alleged breaches of contract by remedy for any and all alleged breaches of contract by Texas A&M Forest Service, if the parties are unable to resolve their disputes under this subparagraph (A).

(c) Compliance with the contested case process provided in subchapter C is a condition precedent to seeking in subchapter C is a condition precedent to seeking consent to sue from the Legislature under Chapter 107 of the Civil Practices and Remedies Code. Neither the execution of this contract by Texas A&M Forest Service nor any other conduct of any representative of Texas A&M Forest Service relating to the contract shall be considered a waiver of sovereign immunity to suit.

considered a waiver of sovereign immunity to suit.

(1) The submission, processing, and resolution of the contractor's claim is governed by the published rules adopted by the Office of the Attorney General of the State of Texas pursuant to Chapter 2260, as currently effective, hereafter enacted or subsequently amended. These rules are found under Title 1, Part 3, Chapter 68 of the TAC.

are found under life 1, Part 3, Chapter oo of the PAC (2) Neither the occurrence of an event nor the pendency of a claim constitutes grounds for the suspension of performance by the contractor, in whole or in part. (3) The designated individual responsible on behalf of Texas A&M Forest Service for examining any claim or counterclaim and conducting any negotiations related thereto as required under Title 10, Subchapter B, Section 2260.052 of the Texas Government Code shall be Robby DeWitt, Associate Director for Finance and Administration (979) 458-7300.

PUBLIC DISCLOSURE

(a) Bidder acknowledges that Texas A&M Forest Service is obligated to strictly comply with the Public Information Act, Chapter 552, Texas Government Code, in responding to any request for public information pertaining to this Agreement, as well as any other disclosure of information

required by applicable Texas law.

(b) Upon Texas A&M Forest Service's written request, bidder will provide specified public information exchanged or created under this Agreement that is not otherwise excluded from disclosure under chapter 552, Texas Government Code, to Texas A&M Forest Service in a non-proprietary format acceptable to Texas A&M Forest Service. As used in this provision, "public information" has the meaning assigned Section 552.002, Texas Government Code, but only includes information to which Texas A&M Forest Service has a right of access.

(c) Bidder acknowledges that Texas A&M Forest Service may be required to post a copy of the fully executed Agreement on its internet website in compliance with ection 2261.253(a)(1), Texas Government Code.

REHAB ACT, VEVRAA, SECTION 503

This contractor and subcontractor shall abide by the requirements of 41 CFR §§ 60-1.4(a), 60-300.5(a) and 60-741.5(a). These regulations prohibit discrimination against qualified individuals based on their status as protected veterans or individuals with disabilities, and prohibit discrimination against all individuals based on their race, color religious say or pational princip Moranuse, these color, religion, sex, or national origin. Moreover, these regulations require that covered prime contractors and subcontractors take affirmative action to employ and advance in employment individuals without regard to race, color, religion, sex, national origin, protected veteran status or disability

ATTACHMENT A TEXAS A&M FOREST SERVICE PURCHASE ORDER TERMS AND CONDITIONS

- 16. Conflict of Inferest. By executing this Agreement, Contractor and each person signing on behalf of Contractor certifies and in the case of a sole proprietorship, partnership or corporation, each party thereto certifies as to its own organization, that to the best of their knowledge and belief, no member of The A&M System Board of Regents, nor any employee, or person, whose salary is payable in whole or in part by The A&M System, has direct or indirect financial interest in the award of this Agreement, or in the services to which this Agreement relates, or in any of the profits, real or potentia, thereof
- real or potential, thereof

 7. Prohibition on Contracts with Companies Boycotting Israel. Prohibition on Contracts with Companies Boycotting Israel To the extent that Texas Government Code, Chapter 2270 applies to this Agreement, PROVIDER certifies that (a) it does not currently boycott Israel, and (b) it will not boycott Israel during the term of this Agreement. PROVIDER acknowledges this Agreement may be terminated and payment withheld if this certification is inaccurate
- certification is inaccurate

 18. Certification Regarding Business with Certain
 Countries and Orusnizations. Pursuant to Subchapter F,
 Chapter 2252, Texas Government Code, Contractor
 certifies it is not engaged in business with Iran, Sudan or a
 foreign terrorist organization. Contractor acknowledges this
 Agreement may be terminated if this certification is
 inaccurate.
- Prohibition on Contracts Related to Persons Involved in Human Trafficking. Under Section 2155 0081, Government Code, the Contractor certifies that the individual or business entity named in this Agreement is not ineligible to receive the specified contract and acknowledges that this contract may be terminated and payment withheld if this certification is inaccurate.